C/O DR. BRILL + PARTNER GMBH
INSTITUT FÜR HYGIENE UND MIKROBIOLOGIE
NORDEROOG 2, DE 28259 BREMEN
TELEFON 0049-40/557631-0
TELEFAX 0049-40/557631-11
EMAIL INFO@BRILLHYGIENE.COM

INTERNET WWW.BRILLHYGIENE.COM

Dr. J. Steinmann \cdot C/O Dr. Brill + Partner GmbH \cdot Norderoog 2 \cdot DE-28259 Bremen

Essity Hygiene and Health AB Broplatsen 3 SE – 43131 Mölndal

Bremen, 11/11/2020

Expert opinion

Activity of Salubrin Hand Sanitizer against modified vaccinia virus Ankara (MVA) in a quantitative suspension test according to EN 14476:2013+A2:2019 under clean conditions

This expert opinion is based on the test report L20/1496bMV.1 dating 11/11/2020.

The virus-inactivating properties of the hand disinfectant Salubrin Hand Sanitizer of Essity Hygiene and Health AB against modified vaccinia virus Ankara (MVA) were investigated by a quantitative suspension test according to EN 14476 under clean conditions.

According to this norm, a disinfectant or a disinfectant solution at a particular concentration is considered as having virus-inactivating properties if within the recommended exposure period the titre is reduced by $\geq 4 \log_{10}$ (inactivation ≥ 99.99 %).

The hand disinfectant Salubrin Hand Sanitizer was examined undiluted at 20 °C. 30 and 60 seconds were chosen as exposure times. In summary, a virucidal activity against modified vaccinia virus Ankara (MVA) was measured as follows:

undiluted 60 seconds clean conditions (0.3 g/l BSA)

Dr. Jochen Steinmann

Salubrin Hand Sanitizer – $\mathrm{EN}\ 14476$

Expert opinion no.: L20/1496bMV.1 Version 01