

100  
years  
of automotive lighting



Catalog 2014-2015

# Lighting up passion

- since 1914 -

Catalog



Philips Automotive

EN-HOR-XV2 - Created by HSS France 2014


# Celebrating 100 years

An inspiring journey of quality and innovation

As the world fell in love with the automobile, we found our **passion** making a **positive difference**. We believe in simply enhancing people's lives on the move by creating **meaningful innovations** that make their mobility experience **safer**, more **environmentally friendly** and **stylish**.

From **halogen** and **xenon** to **LEDs**, we've been **lighting up passion** since 1914 – and the **future is even brighter!**

Lighting up passion  
– since 1914 –



VOLT

WATT

KAARS-  
STERKTE

TYPE No.


DIAMETER

PRIJS

**1914 – 1936**  
**A passion is born**  
We are one of the **first** manufacturers of **modern electric automotive lighting!**

Our first headlamp, the **Half Watt**, was soon followed by the **Duplo**, the first automotive **dual-filament** lamp adapted to faster traffic.

In **1936** we introduced the **Duplolux Selectiva**, the **first modern headlamp** featuring a **far-reaching beam** ensuring **greater safety** at higher speeds.



**1937 – 1962**  
**Ahead of our time**

For greater safety and comfort, we developed the **Duplo-D**, which featured a unique, **asymmetrical passing beam** that would not blind oncoming motorists.

In **1960** we opened a new factory in **Aachen, Germany** and in **1962** we created the world's **first halogen headlamp**, the **H1**. Many European countries would soon make halogen headlamps **mandatory** on all new automobiles.



**1963 – 1998**  
**See better, drive better**

As cars became more **powerful**, so did our headlights. By **1970** we had not only created the halogen **H2** and **H3** but also the **revolutionary H4**, the **first two-filament halogen headlamp**.

In **1991** we unveiled the world's **first xenon lighting solution** on the BMW 7-series.

In **1993** we brought out the halogen **H7**, a **powerful and compact** lamp to meet the demands of modern vehicles, still widely used to this day.

Our stylish **BlueVision** range was first introduced in **1998**. It combined **ultra-white light** with a **dazzling blue effect** for drivers seeking more style.



**1999 – 2010**  
**Innovative sustainability**

We introduced the first **mercury-free**, xenon **HID** (high-intensity discharge) headlamp! Today **all** Philips headlamps are **mercury and lead free**.

The world's **first fully equipped LED headlight** was fitted with powerful Philips LEDs.

In **2009**, we began offering **LED Daytime Running Lights** in aftermarket for increased **driver safety**.

Always on the forefront of delivering maximum light, in **2010** we revamped our **X-tremeVision** range with **100% more light!** Philips **LongLife EcoVision**, offering **4x** lifetime, was originally introduced in **2008** as **EcoVision**, the **longest lasting lamp\*** on the market!

\*Compared to a standard halogen lamp

The lights of tomorrow



# The future is now!

**2011 - 2014**

**2011** We took the advanced performance and power of **LEDs** and created our **Professional workshop lamp** range to help you **see better and work better!**

**2012** We introduced the **Xenon X-tremeVision headlamp**, the **first xenon lamp to offer 50% more light!**\*

**2013** We unveiled our **ColorVision** range, designed specifically for car enthusiasts seeking **ultimate color customization** and a **powerful light beam** with up to **60% more white light!**\*

**2014** Introducing the **innovative CBL40 Professional workshop lamp**. The first workshop lamp that adapts to your needs by being either **plugged** into a wall socket or used as a **cordless lamp in a snap!**

The new **WhiteVision** halogen lamp features **60% more brilliant white light**\* and an intense **xenon effect** for drivers seeking more **style!**

Our new compact Daytime Running Light, the **DayLight 9** delivers a powerful, **ultra-wide, homogeneous light** through advanced optical engineering.

To celebrate our 100th anniversary, we **boosted the performance** of our award-winning **X-tremeVision** range, now featuring **130% brighter light** for **maximum safety** on the road.

We equip modern **OEM matrix headlamps** with our **LEDs**. All major car manufacturers use our **Lumileds LEDs** which offer an exclusive **modular design** system for ease and **simplicity of integration** with a fully customizable matrix configuration for **flexible cavity positioning**. Using selective light modulation, the LUXEON® F LEDs produce a smooth, **homogeneous light output** with a dynamic beam that **adapts** to specific driving conditions.

Our **passion** is for making your drive a **safer** and more **pleasant** one. Through the meaningful **innovation** of automotive lighting solutions, we offer today's drivers the **lights of tomorrow**.

**The brightest moments are yet to come!**

\*Compared to standard xenon or halogen lamp



Lighting up passion  
- since 1914 -

# We create

**Philips Automotive, a business group of Royal Philips, is the world's leading supplier of lamps to the automotive industry and aftermarket.**

**Our technological innovations have been on the forefront of automotive lighting for 100 years and have led to the advancement and modernization of automotive lighting as we know it today.**

## Philips original equipment quality: our high manufacturing standards

We are committed to producing **best-in-class products and services** in the Original Equipment Manufacturer (OEM) market as well as in aftermarket. Our products are manufactured from **high-quality materials** and tested to the highest specifications to maximize the **safety** and driving **comfort** of our customers. Our products are meticulously **tested, controlled** and **certified** to the highest ECE requirements and ISO standards.



- We are the **choice** of all major car manufacturers
- Our lighting is equipped on **one in two cars** in Europe and one in three in the world
- Advanced **UV-quartz** glass technology
- Manufacturing processes that **exceed** current industry **specifications**.

# We

# Care

## Feel safe, drive safe

For 100 years we've been **leading** the way, showing you the road and taking you home. You may not think about us, but we do little else than think about you. That's why our lighting solutions are the most **reliable** and **powerful** on the market today, far surpassing industry standards.

Light is the first and only part of the safety circle that actually helps **prevent accidents**, so **safety** begins with seeing and being seen. Our products produce powerful and precise light, combining **performance** and **reliability** to make your drive a safe one. We produce high quality, efficient lighting solutions because we know that **your life depends on it**.

## Care how you drive

Our engineers have been pioneering some of the most innovative and **sustainable** lighting solutions to make your drive a safer one. Our development of **LEDs** along with our new **xenon range** means **more light** and **less energy consumption**. We produce **reliable, longer-lasting** products that minimize environmental impact by producing **less waste** in compliance with the EU Waste Electrical and Electronic Equipment Directive (WEEE). We continue to lead the lighting industry in **reducing** the amount of hazardous material used, surpassing the EU RoHS requirements for mercury.



**Pb free**



**-CO<sub>2</sub>**



## Drive with style

Today's drivers are not only looking for more safety and reliability, they're looking for **more performance** and **style**. They want to fully **customize** their ride with their own unique look. With the new **ColorVision** range, customers can restyle with light, adding a touch of blue, green, yellow or purple to their ride. Our new **LED DayLight 9** features a revolutionary lens for a unique design signature.



# Table of contents

<b>Celebrating 100 years</b> · An inspiring journey of quality and innovation	<b>2</b>
<b>The future is now</b> · The lights of tomorrow	<b>4</b>
<b>Xenon solutions</b>	<b>7</b>
Our pro-active solution against xenon lamp piracy	<b>9</b>
Xenon Vision	<b>9</b>
Xenon X-tremeVision · Xenon BlueVision ultra	<b>10</b>
<b>12V Car lighting</b>	<b>13</b>
Vision	<b>15</b>
VisionPlus	<b>16</b>
X-tremeVision	<b>17</b>
LongLife EcoVision	<b>18</b>
WhiteVision	<b>19</b>
ColorVision	<b>20</b>
Which lamp for which function	<b>22</b>
12V Spare kit essentials	<b>38</b>
<b>LED Interior lighting for cars and trucks</b>	<b>42</b>
12V and 24V X-tremeVision LED	<b>44</b>
<b>LED Daytime Running Light solutions</b>	<b>47</b>
LED DayLight 9	<b>50</b>
LED DayLightGuide	<b>51</b>
<b>24V Bus and truck lighting</b>	<b>52</b>
MasterLife	<b>55</b>
MasterDuty · MasterDuty BlueVision	<b>56</b>
Which lamp for which function	<b>57</b>
24V Spare kits	<b>64</b>
<b>Two-wheeler lighting</b>	<b>65</b>
VisionMoto · CityVision Moto	<b>67</b>
X-tremeVision Moto · BlueVision Moto	<b>68</b>
Which lamp for which function	<b>69</b>
<b>Headlight restoration kit</b>	<b>72</b>
<b>Professional workshop lamps</b>	<b>74</b>
Penlight · Penlight Professional	<b>78</b>
Penlight Premium   USB-Rechargeable	<b>79</b>
Penlight Premium · PP Limited 100-year gold edition	<b>79</b>
RCH10   Rechargeable products	<b>80</b>
RCH20 · RCH30	<b>81</b>
CBL20 · CBL30   Multivoltage products	<b>82</b>
CBL40	<b>83</b>
CBL50	<b>84</b>
MDLS Multidirectional lighting system   Rechargeable	<b>85</b>
<b>Online tools</b>	<b>88</b>
<b>Sales and marketing tools</b>	<b>89</b>
<b>Technical illustrations · Lamps</b>	<b>96</b>
<b>Technical illustrations · Bases</b>	<b>98</b>
<b>Packaging design</b>	<b>99</b>
<b>Product index</b>	<b>100</b>

# Xenon solutions

Discover our full range of xenon lighting solutions, the number one choice in xenon lighting. Now with our **pro-active solution** against xenon lamp piracy!

Our xenon range produces even more light to satisfy the most demanding drivers while maintaining its high original equipment quality and superior performance. Make sure to order the genuine original equipment quality xenon lighting from



Philips, the inventor of xenon lighting. Philips innovative technology, materials, high-quality production and testing are simply irreplaceable. Philips xenon lighting is available for automobiles, trucks, buses, and other large commercial vehicles.



# Which **xenon** lamp do you **need?**

# Our **pro-active solution** against xenon lamp **piracy**

**Safety**

**Ideal for replacement**



**Xenon Vision**



**Standard xenon lamp**



**Xenon Vision**

Light color  
  
 4 600 K

Available in D1S, D1R, D2S, D2R, D3S, D3R, D4S, D4R

**up to **50%** more light\***



**Xenon X-tremeVision**



**Standard xenon lamp**



**Xenon X-tremeVision**

Light color  
  
 4 800 K

Available in D1S, D2S, D2R, D3S

**Safety and style**

**Maximum 6 000 K blue effect**



**Xenon BlueVision ultra**



**Standard xenon lamp**



**Xenon BlueVision ultra**

Light color  
  
 6 000 K

Available in D1S, D2S, D2R

\*Compared to a standard xenon lamp



To find the type of lamp you need for your car, visit our 12V application guide



Connect to the secure internet platform [www.philips.com/original](http://www.philips.com/original)

**Counterfeit** Philips xenon lamps are becoming increasingly available through online and offline distribution channels. These counterfeit lamps are **poor imitations of inferior quality**. Buying, selling or being in possession of counterfeit products is illegal.



To **protect** our customers and all consumers from counterfeit Philips lighting products, we've created a **pro-active solution** using unique, **state-of-the-art** technology.

Philips **Certificate of Authenticity (COA)** is now available on **every new xenon lamp package you order**.

Using the **Security code**, as well as other special security elements, professionals can verify the **authenticity** of the Philips product on a dedicated, fully secure internet platform. Professionals can either scan the QR code or go to [www.philips.com/original](http://www.philips.com/original).

Philips is committed to helping **protect** its customers from poor imitations of inferior quality that may damage a vehicle or result in personal injury.

Always ensure that you are buying **genuine Philips products**.

**Safety**

**Xenon Vision**

Ideal for replacement

- Philips original equipment quality xenon technology
- Single-lamp replacement technology: new lamp matches color temperature of the unchanged one
- Economical choice
- Homologated 4 600 K

Philips Xenon Vision replaces a single burned-out lamp while **matching the color** of the unchanged one. Xenon Vision is the ideal replacement lamp—and it's **economical** too! Its new **single-lamp replacement** technology allows for one-by-one replacement while still **matching** the color temperature of the unchanged lamp.



Standard

Xenon Vision

Available in

D1S      D1R      D2S      D2R

D3S      D3R      D4S      D4R

# Safety


## Xenon X-tremeVision

Up to 50% more light\*

- Ultimate performance
- Up to 50% more light\*
- Maximum safety and visibility
- Designed for demanding drivers
- Philips original equipment quality xenon technology

Producing up to **50% more light**,\* this high-power xenon lighting solution provides **maximum brightness** for **maximum visibility** to satisfy the needs of the most demanding drivers. Philips Xenon X-tremeVision is the ultimate choice for drivers looking for the **best xenon solution**.

\*Compared to a standard xenon lamp



## Style

### Xenon BlueVision ultra

#### Maximum blue effect

- Distinctive cool bluish light up to 6 000 K
- Designed for the most demanding drivers
- Maximum style
- Philips original equipment quality xenon technology

Philips created the Xenon BlueVision ultra for drivers looking for **maximum style** and **ultimate brightness**. It produces an ultra-stylish and **distinctive blue effect** (up to 6 000 K) while delivering an **ultra-powerful** light. It offers 10% more light compared to the previous generation (Philips Xenon UltraBlue).

10

### D1S Vision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
85415VIS1	85	35	PK32d-2	36489733	8 727900 364897	-	8727900364903	E1 04J	2
85415VIC1	85	35	PK32d-2	36473633	8 727900 364736	-	8727900364743	E1 04J	2

### D1S X-tremeVision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
85415XVS1	85	35	PK32d-2	36458333	8 727900 364583	-	8727900364613	E1 04J	2
85415XVC1	85	35	PK32d-2	36441533	8 727900 364415	-	8727900364439	E1 04J	2

### D1S BlueVision ultra

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
85415BVUS1	85	35	PK32d-2	36550433	8 727900 365504	-	8727900365511	E1 04J	2
85415BVUC1	85	35	PK32d-2	36546733	8 727900 365467	-	8727900365443	E1 04J	2

### D1R Vision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
85409VIC1	85	35	PK32d-3	36475033	8 727900 364750	-	8727900364767	E1 05R	2

### D2S Vision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
85122VIS1	85	35	P32d-2	36491033	8 727900 364910	-	8727900364927	E1 03V	2
85122VIC1	85	35	P32d-2	36477433	8 727900 364774	-	8727900364781	E1 03V	2

### D2S X-tremeVision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
85122XVS1	85	35	P32d-2	36462033	8 727900 364620	-	8727900364637	E1 03V	2
85122XVC1	85	35	P32d-2	36444633	8 727900 364446	-	8727900364453	E1 03V	2

### D2S BlueVision ultra

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
85122BVUS1	85	35	P32d-2	36552833	8 727900 365528	-	8727900365535	E1 03V	2
85122BVUC1	85	35	P32d-2	36545033	8 727900 365450	-	8727900365474	E1 03V	2

### D2R Vision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
85126VIS1	85	35	P32d-3	36493433	8 727900 364934	-	8727900364941	E1 03U	2
85126VIC1	85	35	P32d-3	36479833	8 727900 364798	-	8727900364804	E1 03U	2

### D2R X-tremeVision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
85126XVS1	85	35	P32d-3	36464433	8 727900 364644	-	8727900364651	E1 03U	2
85126XVC1	85	35	P32d-3	36446033	8 727900 364460	-	8727900364477	E1 03U	2

10

11

## D2R BlueVision ultra

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
85126BVUS1	85	35	P32d-3	36554233	8 727900 365542	-	8727900365559	E1 03U	2
85126BVUC1	85	35	P32d-3	36548133	8 727900 365481	-	8727900365498	E1 03U	2

## D3S Vision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
42403VIS1	42	35	PK32d-5	36495833	8 727900 364958	-	8727900364965	E4 0A9	2
42403VIC1	42	35	PK32d-5	36481133	8 727900 364811	-	8727900364828	E4 0A9	2

## D3S X-tremeVision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
42403XVS1	42	35	PK32d-5	36466833	8 727900 364668	-	8727900364675	E4 0A9	2
42403XVC1	42	35	PK32d-5	36448433	8 727900 364484	-	8727900364491	E4 0A9	2

## D3R Vision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
42306VIC1	42	35	PK32d-6	36483533	8 727900 364835	-	8727900364842	E4 0B0	

## D4S Vision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
42402VIC1	42	35	P32d-5	36485933	8 727900 364859	-	8727900364866	E4 0A5	2

## D4R Vision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
42406VIC1	42	35	P32d-6	36487333	8 727900 364873	-	8727900364880	E4 0A6	2



# 12V car lighting

Philips is the **world's leading** automotive **lighting** manufacturer and is renowned for its technological **innovations**, its use of **high-quality** materials and its **best-in-class** products. Philips commitment to providing the highest quality standards makes it the preferred partner of the world's largest car manufacturers. Philips 12V car lighting range is a family of **lighting solutions** designed for the **needs** and **lifestyles** of **all consumers**.

# Which car lamp do you need?

**Feel safe, drive safe**

- 30% more light\***
- 60% more light\***
- 130% brighter light\*** NEW

**Drive with care**

**Lifetime x4**

**Drive with style**

- Intense white xenon effect** New
- Add a touch of color** New

**Vision** ★★★★  
VisionPlus ★★★★  
X-tremeVision ★★★★  
LongLife EcoVision ★★★★  
WhiteVision ★★★★  
ColorVision ★★★★

**Light color**: Warm (3200 K) / Cool (4300 K)

**Beam performance**: Standard / +30% / +60% / +130%

**Lifetime**: 0 h / 200 h / 800 h / >1000 h

**Available in**: H1, H3, H4, H7, HB3, HB4, H11

**Light color**: Warm (3200 K) / Cool (4300 K)

**Beam performance**: Standard / +30% / +60% / +130%

**Lifetime**: 0 h / 200 h / 800 h / >1000 h

**Available in**: H1, H4, H7

**Light color**: Warm (3200 K) / Cool (4300 K)

**Beam performance**: Standard / +30% / +60% / +130%

**Lifetime**: 0 h / 200 h / 800 h / >1000 h

**Available in**: H1, H4, H7, H11

**Light color**: Warm (3200 K) / Cool (4300 K)

**Beam performance**: Standard / +30% / +60% / +130%

**Lifetime**: 0 h / 200 h / 800 h / >1000 h

**Available in**: H1, H3, H4, H7, HB3

**Light color**: Warm (3200 K) / Cool (4300 K)

**Beam performance**: Standard / +30% / +60% / +130%

**Lifetime**: 0 h / 200 h / 800 h / >1000 h

**Available in**: H4, H7

\*Compared to a standard lamp



To find the type of lamp you need for your car, visit our **12V application guide**



Sales and marketing tools  
see pages 91, 92



# Feel safe, drive safe

## More light Vision

**30% more light\***

- Competitive price
- Greater light-beam projection
- High-quality quartz glass
- Philips original equipment quality
- Homologated 3 200 K

Producing **30% more light** compared to a standard lamp, Vision ensures excellent light-beam performance at a very **competitive price** with **original equipment quality**.

Our Vision lamps produce a longer light-beam projection for **greater safety** and **comfort**.



Standard



Vision

\*Compared to a standard lamp




Our Vision range, like all of our halogen and xenon headlamps, is made with **high-quality, anti-UV quartz glass**.

- Greater pressure allows to produce more light and longer lifetime
- **Withstands** thermal shocks



Without Philips quartz glass

- Less resistance and shorter lifetime
- Danger of explosion



Available in C1 and B1 packaging

Available in



H1



H3



H4



H7



HB3



HB4



H11



Sales and marketing tools  
see pages 89, 90, 93



# Feel safe, drive safe

## More light VisionPlus

60% more light\*

- Superior quality with enhanced visibility
- Up to 25-meter longer beam\*
- High-quality quartz glass
- Greater driving comfort and safety

A faster reaction time can save lives. Philips VisionPlus produces **60% more light**, which allows drivers to see farther for greater **safety and comfort**.

Philips VisionPlus is the performance choice for **safety-conscious drivers**.

Offering **high performance** and **excellent value**, VisionPlus is the **right choice** for today's demanding drivers.




Available in S2 and B1 packaging



\*Compared to a standard lamp

### VisionPlus signaling advantages



- Brake lighting is **visible earlier**, thanks to a more powerful light output.
- The following vehicle's **breaking distance** can be **reduced** by up to 3 meters at 100 km/h.

**VisionPlus signaling** is available in P21W, P21/5W

Available in



# Feel safe, drive safe



**NEW** EXTRA LIGHT BRIGHTNESS

## More light X-tremeVision

130% brighter light\*

- Maximum light, maximum performance
- Increased brightness
- Best-in-class lifetime
- Up to 45-meter longer beam\*
- High-quality quartz glass
- Greater driving comfort and safety

Philips X-tremeVision car lamps are the **brightest** you can buy. They outshine all other car lamps with up to **130% more brightness** and a **superior beam** length of up to 45 meters longer so that you can **see farther**, **react faster** and **drive safer**.



\*Compared to a standard lamp

**Perfect illumination** is especially important in the distance - usually between 75-100 meters in front of your vehicle. With Philips X-tremeVision you can see up to **45 meters further** and gain two seconds more reaction time. Philips X-tremeVision **boosts** your **visibility** with up to **130% brighter light** on the road. This helps you recognize obstacles and any potential **dangers earlier** than with any other halogen headlamp.



Available in S2 and B1 packaging

Available in



Sales and  
marketing tools  
see page 89



Drive  
with care

## Less replacement LongLife EcoVision

Lifetime x4

- Lasts 4 times longer\*
- No replacement necessary for 100 000 km
- Reduced maintenance
- Less waste, drive greener
- High-quality quartz glass

Tired of **changing** your lamps all the time?

With **4x lifetime** of a standard lamp, Philips LongLife EcoVision is the choice for drivers seeking to **minimize maintenance** on their vehicles. With Philips LongLife EcoVision drivers don't have to worry about replacing a headlamp for at least **100 000 km**. It is the right choice for drivers looking for an **environmentally friendly** lighting solution.



\*Compared to a standard lamp



Available in S2, C1 and B1 packaging



Available in



New

Drive  
with style

## Style WhiteVision

Intense white xenon effect

- Maximum visibility, premium look
- Maximum white light for greater contrast
- Philips original equipment quality
- High-quality quartz glass
- 100% road legal

Philips WhiteVision lamps add an intense white xenon look to your car headlights for a **premium driving experience** at night. The increased brightness with up to **4 300 K** makes WhiteVision the perfect combination of **style** and **safety**.

**Outperforming** any blue car lamps on the market, Philips WhiteVision headlamps are the **right choice** for drivers who want to drive with **style without compromising on safety**.



Available in S2 and B1 packaging

Safety has never  
been so attractive



Available in



Sales and  
marketing tools  
see page 90

# Drive with style

New



## Style ColorVision

Add a touch of color

- Innovative coating technology in blue, green, yellow or purple
- 60% more white light\* on the road
- Philips original equipment quality
- High-quality quartz glass
- 100% road legal

ColorVision adds a **touch of color** to your car optics in **blue, green, yellow or purple**.

These innovative colored car lamps are **certified road legal**, so you can customize your ride while projecting safe white light.

Restyle with light



\*Compared to a standard lamp

Discover all colors in S2 packaging only





Available in



Sales and  
marketing tools  
see page 91



# Which lamp for which function



## H1 Vision



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12258PRB1	12	55	P14,5s	47516930	8 711500 475169	-	8711500475176	E1 21P	10
12258PRC1	12	55	P14,5s	47518360	8 711500 475183	8727900352115	8711500475190	E1 21P	100



## H1 VisionPlus



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12258VPS2	12	55	P14,5s	36322728	8 727900 363227	-	8727900363210	E1 21P	5
12258VPB1	12	55	P14,5s	36320330	8 727900 363203	-	8727900363197	E1 21P	10



## H1 X-tremeVision



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12258XV+S2	12	55	P14,5s	37166628	8 727900 371666	-	8727900371673	E1 21P	5
12258XV+B1	12	55	P14,5s	37164230	8 727900 371642	-	8727900371659	E1 21P	10



## H1 LongLife EcoVision



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12258LLECOS2	12	55	P14,5s	36255828	8 727900 362558	-	8727900362565	E1 21P	5
12258LLECOB1	12	55	P14,5s	36196430	8 727900 361964	-	8727900361971	E1 21P	10
12258LLECOC1	12	55	P14,5s	36187230	8 727900 361872	-	8727900370683	E1 21P	10



## H1 WhiteVision



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12258WHVB1	12	55	P14,5s	37156730	8 727900 371567	-	8727900371574	E1 21P	10
12258WHVSM	12	55	P14,5s	78884928	8 711500 788849	-	8711500788856	E1 21P	5



## H1 Spot



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12258SPC1	12	55	P14,5s	40460230	8 711500 404602	-	8727900370690	E1 21P	10



## H3 Vision



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12336PRB1	12	55	PK22s	69561130	8 711500 695611	-	8711500695628	E1 21W	10
12336PRC1	12	55	PK22s	69534560	8 711500 695345	8711500775696	8711500695352	E1 21W	100



## H3 LongLife EcoVision



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12336LLECOC1	12	55	PK22s	77704130	8 711500 777041	-	8711500779366	E1 21W	10



## H3 WhiteVision



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12336WHVB1	12	55	PK22s	77951930	8 711500 779519	-	8711500779526	E1 21W	10



## H4 Vision



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12342PRB1	12	60/55	P43t-38	47480330	8 711500 474803	-	8711500474810	E1 2C3	10
12342PRC1	12	60/55	P43t-38	49099560	8 711500 490995	8711500827807	8711500490988	E1 2C3	100



## H4 VisionPlus



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12342VPS2	12	60/55	P43t-38	39925728	8 727900 399257	-	8727900399240	E1 2C3	5
12342VPB1	12	60/55	P43t-38	39934930	8 727900 399349	-	8727900399332	E1 2C3	10



## H4 X-tremeVision



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12342XV+S2	12	60/55	P43t-38	22109428	8 711500 221094	-	8711500221100	E1 2C3	5
12342XV+B1	12	60/55	P43t-38	22107030	8 711500 221070	-	8711500221087	E1 2C3	10



## H4 LongLife EcoVision



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity

<tbl\_r

## H7 Vision



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12972PRB1	12	55	PX26d	40607130	8 711500 406071	-	8711500406088	E1 22Z	10
12972PRC1	12	55	PX26d	40593760	8 711500 405937	8711500827838	8711500405944	E1 22Z	100



## H7 VisionPlus



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12972VPS2	12	55	PX26d	39938728	8 727900 399387	-	8727900399370	E1 22Z	5
12972VPB1	12	55	PX26d	39936330	8 727900 399363	-	8727900399356	E1 22Z	10



## H7 X-tremeVision



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12972XV+S2	12	55	PX26d	37170328	8 727900 371703	-	8727900371710	E1 22Z	5
12972XV+B1	12	55	PX26d	37168030	8 727900 371680	-	8727900371697	E1 22Z	10



## H7 LongLife EcoVision



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12972LLEC0S2	12	55	PX26d	36259628	8 727900 362596	-	8727900362602	E1 22Z	5
12972LLECOB1	12	55	PX26d	36200830	8 727900 362008	-	8727900362015	E1 22Z	10
12972LLEC0C1	12	55	PX26d	36192630	8 727900 361926	8727900363753	8727900371024	E1 22Z	10



## H7 WhiteVision



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12972WHVB1	12	55	PX26d	37160430	8 727900 371604	-	8727900371611	E1 22Z	10
12972WHVSM	12	55	PX26d	78888728	8 711500 788887	-	8711500788894	E1 22Z	5



## H7 ColorVision Green




Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12972CVPGS2	12	55	PX26d	36798028	8 727900 367980	-	8727900368017	E1 22Z	5



## H7 ColorVision Yellow



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12972CPYPS2	12	55	PX26d	36802428	8 727900 368024	-	8727900368031	E1 22Z	5



## H7 ColorVision Purple




Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12972CVPPS2	12	55	PX26d	36804828	8 727900 368048	-	8727900368055	E1 22Z	5



## H7 ColorVision Blue



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12972CPBPS2	12	55	PX26d	36810928	8 727900 368109	-	8727900368130	E1 22Z	5



## H8



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12360B1	12	35	PGJ19-1	82416530	8 711500 824165	-	8727900362909	E1 24F	10
12360C1	12	35	PGJ19-1	47582430	8 711500 475824	-	8727900371017	E1 24F	10



## H9



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12361B1	12	65	PGJ19-5	36308130	8 727900 363081	-	8727900363098	E1 25C	10
12361C1	12	65	PGJ19-5	47584830	8 711500 475848	-	8727900371000	E1 25C	10



## H10



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
9145C1	12	45	PY20d	52974530	8 711559 529745	8711559529752	8727900370737	E1 25J	10



## H11 Vision



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity</th
-----------------	---	---	------	-----	------	------	------	-----	----------------------

### HB3 Vision



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
9005PRB1	12	65	P20d	24724730	8 711500 247247	-	8711500247254	E1 22S	10
9005PRC1	12	65	P20d	24689930	8 711500 246899	8711559529509	8727900370980	E1 22S	10

### HB3 WhiteVision



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
9005WHVB1	12	65	P20d	37162830	8 727900 371628	-	8727900371635	E1 22S	10

### HB4 Vision



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
9006PRB1	12	55	P22d	24726130	8 711500 247261	-	8711500247278	E1 22T	10
9006PRC1	12	55	P22d	24687530	8 711500 246875	8711559529479	8727900370973	E1 22T	10

### HB5 9007



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
9007C1	12	65/55	PX29t	24550230	8 711500 245502	8711500245519	8727900370966	-	10

### HIR 2 LongLife



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
9012LLC1	12	55	PX22d	35125530	8 727900 351255	-	8727900370935	E1 2R9	10

### H27W/1



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12059C1	12	27	PG13	52854030	8 711559 528540	8711559528557	8727900370799	E1 24A	10

### H27W/2



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12060C1	12	27	PGJ13	52857130	8 711559 528571	8711559528588	8727900370805	E1 24A	10

### R2



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12620B1	12	45/40	P45t-41	5543930	8 711500 055439	-	8711559525327	E1 2B5	10
12620C1	12	45/40	P45t-41	40085730	8 711500 400857	8711500414748	8711500779359	E1 2B5	10

### R2 Visio



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12475B1	12	45/40	P45t-41	24716230	8 711500 247162	-	8711500247179	E4 2CW	10
12475C1	12	45/40	P45t-41	40466430	8 711500 404664	8711559513270	8727900371130	E4 2CW	10

12V Signaling and interior lighting (for 12V LED interior lighting, please refer to page 42)

### P21W VisionPlus

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12498VPB2	12	21	BA15s	36318030	8 727900 363180	-	8727900363173	E1 2CH	10

### P21W LongLife EcoVision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12498LLECOB2	12	21	BA15s	38210530	8 727900 382105	-	8727900382112	E1 2CH	10
12498LLECOCP	12	21	BA15s	38198628	8 727900 381986	8727900381993	8727900391695	E1 2CH	5x10

### P21W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12498B2	12	21	BA15s	5549130	8 711500 055491	-	8711559520131	E1 2CH	10
12498CP	12	21	BA15s	49078073	8 711500 490780	8711500490797	8711500490803	E1 2CH	200

### P21/4W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12594B2	12	21/4	BAZ15d	40485530	8 711500 404855	-	8711500471017	E1 2BA	10
12594CP	12	21/4	BAZ15d	48433828	8 711500 484338	8711500484345	8727900391565	E1 2BA	5x10

### P21/5W VisionPlus

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12499VPB2	12	21/5	BAY15d	36316630	8 727900 363166	-	8727900363159	E1 2CR	10

### P21/5W LongLife Ecovision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
<tbl\_info cols="10

## PY21W LongLife EcoVision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12496LLECOPC	12	21	BAU15s	38218128	8 727900 382181	8727900382198	8727900391084	-	5x10



## PY21W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12496NAB2	12	21	BAU15s	52372930	8 711559 523729	-	8711559523743	E2 2F7	10
12496NACP	12	21	BAU15s	52534173	8 711559 525341	8711559525358	8711559525365	E2 2F7	200



## PR21W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12088CP	12	21	BAW15s	48531128	8 711500 485311	8711500485328	8727900391589	E4 2LV	5x10



## Stop P22

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12401CP	12	15	BA15s	87821228	8 711500 878212	8711500878229	8711500790538	-	5x10



## Stop P25

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12445CP	12	18	BA15s	48440628	8 711500 484406	8711500484413	8727900391602	-	5x10



## R5W LongLife EcoVision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12821LLECOB2	12	5	BA15s	38208230	8 727900 382082	-	8727900382099	E1 2AY	10
12821LLECOPC	12	5	BA15s	38195528	8 727900 381955	8727900381962	8727900390940	E1 2AY	5x10



## R5W BA15S

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12821B2	12	5	BA15s	5546030	8 711500 055460	-	8711500417701	E1 2AY	10
12821CP	12	5	BA15s	48269373	8 711500 482693	8711500482709	8711500482716	E1 2AY	200



## R5W BA15d

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12822CP	12	5	BA15d	45407228	8 711500 454072	8711500454959	8711500790521	-	5x10



## R10W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12814B2	12	10	BA15s	5547730	8 711500 055477	-	8711500417718	E1 2BF	10
12814CP	12	10	BA15s	48341673	8 711500 483416	8711500483423	8711500483430	E1 2BF	200



## RY10W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12093NACP	12	10	BAU15s	48362128	8 711500 483621	8711500483638	8727900391619	E1 2KX	5x10



## T2W-T3W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12913CP	12	2	BA9s	21997828	8 711500 219978	8711500219985	8711500220820	-	5x10
12910CP	12	3	BA9s	21949728	8 711500 219497	8711500219503	8711500220837	-	5x10



## T4W WhiteVision

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12929NBVB2	12	4	BA9s	22105630	8 711500 221056	-	8711500221063	E1 2BU	10



## T4W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12929B2	12	4	BA9s	5550730	8 711500 055507	-	8711559520094	E1 2BU	10
12929CP	12	4	BA9s	21979473	8 711500 219794	8711500219800	8711500219817	E1 2BU	200



## Miniature halogen signaling USA

### H5W

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12023CP	12	5	BA9s	51270928	8 711559 512709	8711559512464	8727900371222	-	5x10



**H21W**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12356CP	12	21	BAY9s	87989928	8 711500 879899	8711500879905	8727900371116	E1 2GW	5x10

**HY21W**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12146CP	12	21	BAW9s	35244328	8 727900 352443	8727900352450	8727900370867	-	5x10



Wedge base

**W1,2W - W2,3W - W2W - WBT5**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12516B2	12	1.2	W2x4,6d	5554530	8 711500 055545	-	8711500417763	-	10
12516CP	12	1.2	W2x4,6d	48153573	8 711500 481535	8711500481542	8711500481559	-	200
12061CP	12	2.3	W2x4,6d	48330028	8 711500 483300	8711500483317	8727900391640	E1 2B	5x10
12505CP	12	2	W2x4,6d	48327028	8 711500 483270	8711500483287	8727900391657	-	5x10
12521CP	12	1	W2x4,6d	48321828	8 711500 483218	8711500483225	8727900391671	-	5x10

**W2,2W - W3W**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12960CP	12	2.2	W2,1x9,5d	48150428	8 711500 481504	8711500481511	8727900391633	-	5x10
12256B2	12	3	W2,1x9,5d	52410830	8 711559 524108	-	8711559524122	E1 2CD	10
12256CP	12	3	W2,1x9,5d	48144328	8 711500 481443	8711500481450	8727900391664	E1 2CD	5x10

**W5W LongLife EcoVision**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12961LLECOB2	12	5	W2,1x9,5d	38204430	8 727900 382044	-	8727900382051	E1 2CA	10
12961LLECOPC	12	5	W2,1x9,5d	38189428	8 727900 381894	8727900381900	8727900390872	E1 2CA	5x10

**W5W WhiteVision**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12961NBVB2	12	5	W2,1x9,5d	39204330	8 727900 392043	-	8727900392050	E1 2CA	10

**W5W**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12961B2	12	5	W2,1x9,5d	40421330	8 711500 404213	-	8711559520070	E1 2CA	10
12961CP	12	5	W2,1x9,5d	49090273	8 711500 490902	8711500490919	8711500490926	E1 2CA	200

**WY5W**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12396NAB2	12	5	W2,1x9,5d	40058130	8 711500 400581	-	8711500400598	E4 2EA	10
12396NACP	12	5	W2,1x9,5d	53002428	8 711559 530024	8711559530031	8727900390889	E4 2EA	5x10

**WBT10**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12040VPB2	12	6	W2,1x9,5d	52416030	8 711559 524160	-	8711559524184	-	10

**W16W**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12067B2	12	16	W2,1x9,5d	40587630	8 711500 405876	-	8711559521053	E2 2JO	10
12067CP	12	16	W2,1x9,5d	48272328	8 711500 482723	8711500482730	8727900391626	E2 2JO	5x10

**W21W**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12065B2	12	21	W3x16d	70146330	8 727900 701463	-	8727900701470	E4 2DT	10
12065CP	12	21	W3x16d	47135228	8 711500 471352	8711500471369	8727900391107	E4 2DT	5x10

**W21/5W**

Ordering number	V</
-----------------	-----

### Festoon T10,5x38

	Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
	12854CP	12	10	SV8,5	48248828	8 711500 482488	8711500482495	8727900391510	-	5x10

### Festoon T10,5x43

	Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
	12864CP	12	5	SV8,5	48205128	8 711500 482051	8711500482075	8727900391527	-	5x10
	12866B2	12	10	SV8,5	5552130	8 711500 055521	-	8711500417756	-	10
	12866CP	12	10	SV8,5	48242628	8 711500 482426	8711500482433	8727900391534	-	5x10

### Festoon T15x43

	Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
	12850CP	12	15	SV8,5	48285328	8 711500 482853	8711500482860	8727900391541	-	5x10

### Bax

### Bax tool box 12V

	Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
	55502GKKM	12	-	-	69717928	8 727900 697179	-	8727900697230	-	5

### Bax 8,3s/1,35 black

	Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
	12597B2	12	1.2	B8,3s/1,35	53018530	8 711559 530185	-	8711559530192	-	10
	12597CP	12	1.2	B8,3s/1,35	48365228	8 711500 483652	8711500483669	8727900390957	-	5x10

### Bax 8,3s/1,5 blue

	Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
	12602CP	12	2	B8,3s/1,5	48396628	8 711500 483966	8711500483973	8727900390995	-	5x10

### Bax 8,5d/2 black

	Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
	12598B2	12	1.2	B8,5d/2	40588330	8 711500 405883	-	8711500405890	-	10

### Bax 8,5d/2 black

	Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
	12598CP	12	1.2	B8,5d/2	48387428	8 711500 483874	8711500483881	8727900390964	-	5x10

### Bax 8,5d/1,5 blue

	Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
	12603CP	12	1.2	B8,5d/1,5	48399728	8 711500 483997	8711500484000	8727900391015	-	5x10

### Bax 8,5d/2 green

	Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
	12600CP	12	2	B8,5d/2	48393528	8 711500 483935	8711500483942	8727900390971	-	5x10

### Bax 8,5d green

	Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
	12604CP	12	2	B8,5d	40508128	8 711500 405081	8711500404589	8727900391022	-	5x10

### Bax 8,5d beige

	Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
	12637CP	12	1.5	B8,5d	51487128	8 711559 514871	8711500400178	8727900371048	-	5x10

### Bax 10d black halogen

	Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
	12615CP	12	5	B10d	52807628	8 711559 528076	8711500243768	8727900370911	-	5x10

### Bax 10d brown halogen

	Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
	12614CP	12	3	B10d	52805228	8 711559 528052	8711559512723			

**Bax 8,4d orange**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12624CP	12	1.1	B8,4d	51411628	8 711559 514116	8711500245137	8727900370898	-	5x10

**Bax 8,5d white**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12638CP	12	1.12	B8.5d	48846628	8 711500 488466	8711500488473	8727900391503	-	5x10

**BA7**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12829CP	12	2	BA7s	52123728	8 711559 521237	8711500401236	8727900390933	-	5x10

**HiPerVision****P13W**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12277C1	12	13	PG18.5d-1	69672130	8 727900 696721	-	8727900391008	E4 2MM	10

**PS19W**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12085C1	12	19	PG20/1	69653030	8 727900 696530	-	8727900390988	E4 2HZ	10

**PS19W LongLife**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12085LLC1	12	19	PG20/1	70046630	8 727900 700466	-	8727900390926	E4 2HZ	10

**PSY19W**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12275NAC1	12	19	PG20/2	52735230	8 711559 527352	-	8727900390858	E4 2ME	10

**PS24W**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12086FFC1	12	24	PG20/3	70044230	8 727900 700442	-	8727900390919	0	10

**PSX24W**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12276C1	12	24	PG20/7	69676930	8 727900 696769	-	8727900390902	E4 2MK	10

**PY24W**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12190NAC1	12	24	PGU20/4	69690530	8 727900 696905	-	8727900390803	E4 2LW	10

**PY24W SilverVision**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12274SV+C1	12	24	PGU20/4	69678330	8 727900 696783	-	8727900390780	E4 2LW	10

**PSY24W**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12188NAC1	12	24	PG20/4	69668430	8 727900 696684	-	8727900390834	E4 2MH	10

**PSY24W SilverVision**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12180OSV+C1	12	24	PG20/4	70379530	8 727900 703795	-	8727900390841	E4 2MH	10

**PCY16W**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12271AC1	13.5	16	PU20d/2	38965430	8 727900 389654	-	8727900391152	-	10

**PSX26W**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12278C1	12	26	PG18.5d-3	38874930	8 727900 388749	-	8727900390896	E4 2SF	10





# 12V spare kit essentials

For increased **safety**, it is **recommended** by most European countries that all vehicles be equipped with a **homologated spare kit**. Compulsory in some European countries and recommended by most, having a homologated spare kit in a vehicle will not only keep drivers in **compliance** with the law but will also keep them **safer** as they will always be prepared to **replace** a burned-out lamp.

## Easy Kit H1



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
55472EKKM	12	-	-	69551928	8 727900 695519	-	8727900695533	-	5
<b>Content</b>									
Lamp type	H1		H4	H7	R2	P21W	P21/5W	PY21W	W5W
Quantity	1		-	-	-	1	1	1	1
									Fuse 10A

## Easy Kit H4



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
55473EKKM	12	-	-	69555728	8 727900 695557	-	8727900695571	-	5
<b>Content</b>									
Lamp type	H1		H4	H7	R2	P21W	P21/5W	PY21W	W5W
Quantity	-		1	-	-	1	1	1	1
									Fuse 10A

## Easy Kit H7



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
55474EKKM	12	-	-	69558828	8 727900 695588	-	8727900695601	-	5
<b>Content</b>									
Lamp type	H1		H4	H7	R2	P21W	P21/5W	PY21W	W5W
Quantity	-		-	1	-	1	1	1	1
									Fuse 10A

## Easy Kit H1/H7



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
55475EKKM	12	-	-	69562528	8 727900 695625	-	8727900695656	-	5
<b>Content</b>									
Lamp type	H1		H4	H7	R2	P21W	P21/5W	PY21W	W5W
Quantity	1		-	1	-	1	1	1	1
									Fuse 10A

## Easy Kit R2



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
55476EKKM	12	-	-	69566328	8 727900 695663	-	8727900695687	-	5
<b>Content</b>									
Lamp type	H1		H4	H7	R2	P21W	P21/5W	PY21W	W5W
Quantity	-		-	-	1	1	1	1	1
									Fuse 10A

## Single Kit H1



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
55008SKKM	12	-	-	52731430	8 711559 527314	-	8711559527222	-	10
<b>Content</b>									
Lamp type	H1	H4	H7	P21W	PY21W	W5W	R5W	R10W	C5W
Quantity	1	-	-	1	1	-	-	1	1
									Fest. T10.5x43
									Fuse 10A
									Fuse 15A
									Fuse 20A
									Fuse 30A

## Single Kit H4



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
55005SKKM	12	-	-	52730730	8 711559 527307	-	8711559527246	-	10
<b>Content</b>									
Lamp type	H1	H4	H7	P21W	PY21W	W5W	R5W	R10W	C5W
Quantity	-	1	-	1	1	-	-	1	1
									Fest. T10.5x43
									Fuse 10A
									Fuse 15A
									Fuse 20A
									Fuse 30A

## Single Kit H7



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
55007SKKM	12	-	-	52732130	8 711559 527321	-	8711559527215	-	10
<b>Content</b>									
Lamp type	H1	H4	H7	P21W	PY21W	W5W	R5W	R10W	C5W
Quantity	-	-	1	1	1	-	-	1	1
									Fest. T10.5x43
									Fuse 10A
									Fuse 15A
									Fuse 20A
									Fuse 30A

## Single Kit H1/H7



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
55010SKKM	12	-	-	3099903					



# LED

interior  
lighting  
for cars  
and trucks



Philips **LED interior lighting** illuminates the vehicle's interior with power and precision. The Philips **X-tremeVision LED** range provides light where it is needed the most, without distracting the driver. Choose a range of temperatures from **4 000 K** to up to **8 000 K**, from **powerful, warm white** to **ultimate blue** light for maximum perception and styling. The Philips X-tremeVision LED range produces up to **5 times more light** while using **13 times less energy**.<sup>\*</sup> Its **power, economy** and **12-year lifetime** are simply **incomparable**.

\*Compared to a standard lamp

## Which **LED** interior lamp do you **need**?

Drive with style

<b>4 000 K</b> <b>Bright white</b>	<b>6 000 K</b> <b>Daylight effect</b>	<b>8 000 K</b> <b>Cool blue</b> <small>New</small>
 Light color  Available in Festoon 14x30, 10,5x38, 10,5x43, Wedge base (T10)	 Light color  Available in Festoon 14x30, 10,5x38, 10,5x43, Wedge base (T10)	 Light color  Available in Wedge base (T10)



Visit our LED interior lighting web page





## Interior lighting X-tremeVision LED

- 4 000 - 8 000 K color temperature
- High-performance LED
- Perfect geometrical fit
- Heat and vibration resistant
- 12-year lifetime

Producing **5x more light** than standard incandescent lamps, the Philips 12V and 24V X-tremeVision LED ranges are equipped with **high-power LEDs** that illuminate the interior with a **cool, bright** and **precise** light while not distracting the driver. They are available from **4 000 K** temperature up to **8 000 K** (depending on the lamp you choose).

Because of its **12-year lifetime** and exceptional **heat** and **vibration resistance**, it is the perfect choice for 24V interior lighting (trucks, buses and heavy-duty vehicles) and for those seeking an economical solution for the entire fleet. Offering a perfect geometrical fit, the Philips X-tremeVision LED interior lighting solution is the **ideal replacement for any vehicle**.



### X-tremeVision 4 000 K

**Powerful Philips X-tremeVision 4 000 K Bright white** is the perfect and **economical replacement** for a standard incandescent interior lamp.



### X-tremeVision 6 000 K

The Philips X-tremeVision **LED 6 000 K Daylight effect** illuminates the interior with power **where it's needed most**.



### X-tremeVision 8 000 K

The **new Philips X-tremeVision LED 8 000 K Cool blue** offers a unique **stylish blue xenon effect** for drivers seeking more style and the power of daylight.

New

Available in

#### X-tremeVision 4 000 K



Festoon 14x30 Festoon 10,5x38

#### X-tremeVision 6 000 K



Festoon 14x30 Festoon 10,5x38

#### X-tremeVision 8 000 K



Wedge base

Festoon 10,5x43 Wedge base

Festoon 10,5x43 Wedge base

## 12V LED Interior lamps

### Festoon 14x30 X-tremeVision LED 4 000 K

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
129404000KX1	12	1	SV8,5	38724730	8 727900 387247	-	8727900387254	-	10

### Festoon 10,5x38 X-tremeVision LED 4 000 K

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
128584000KX1	12	1	SV8,5	70340530	8 727900 703412	-	8727900703405	-	10

### Festoon 10,5x43 X-tremeVision LED 4 000 K

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
129454000KX1	12	1	SV8,5	38343030	8 727900 383430	-	8727900383447	-	10

### Wedge base (T10) X-tremeVision LED 4 000 K

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
127994000KX2	12	1	W2.1X9.5d	39244930	8 727900 392449	-	8727900392456	-	10

### Festoon 14x30 X-tremeVision LED 6 000 K

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
129416000KX1	12	1	SV8,5	38722330	8 727900 387223	-	8727900387230	-	10

### Festoon 10,5x38 X-tremeVision LED 6 000 K

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
128596000KX1	12	1	SV8,5	70338230	8 727900 703399	-	8727900703382	-	10

### Festoon 10,5x43 X-tremeVision LED 6 000 K

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
129466000KX1	12	1	SV8,5	38341630	8 727900 383416	-	8727900383423	-	10

### Wedge base (T10) X-tremeVision LED 6 000 K

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
127996000KX2	12	1	W2.1X9.5d	39188630	8 727900 391886	-	8727900391893	-	10

### Wedge base (T10) X-tremeVision LED 8 000 K

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
127998000KX2	12	1	W2.1X9.5d	39248730	8 727900 392487	-	8727900392517	-	10



## CANbus control unit for 12V LED lamps



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12956X2	12	5	-	38345430	8 727900 383454	-	8727900383461	-	10

## 24V LED Interior lamps

### Festoon 10,5x38 X-tremeVision LED 6 000 K



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
249446000KX1	24	1	SV8,5	38339330	8 727900 383393		8727900383409		10

### Festoon 10,5x43 X-tremeVision LED 6 000 K



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
249466000KX1	24	1	SV8,5	38418530	8 727900 384185		8727900384192		10



100  
years  
of automotive lighting

LED  
Daytime Running  
Lights  
47

# LED

## Daytime Running Light solutions

Discover our range of LED Daytime Running Light solutions, designed to **improve driver safety** by increasing vehicle visibility during the day. Easy to install, Philips OE Quality LED Daytime Running Light range is equipped with the latest high-power LUXEON® LEDs.

To **enhance vehicle visibility** in any traffic situation and in all weather conditions, check out the ultra-powerful Philips

**LED DayLightGuide**.

Its **revolutionary lens** and innovative lightguide technology offer an exclusive design signature **without dots** and boasts **wide-angle visibility**. For maximum **simplicity** and ease of **integration**, we offer the **new stylish** and **compact** Philips **LED DayLight 9**.

Philips LED Daytime Running Lights, a must for **greater safety** and **style**!




# LED Daytime Running Lights European regulations

Since 2011, Daytime Running Lights (DRL) are **mandatory** on all new cars and small delivery vehicles in the European Union. Since August 2012 DRL are also mandatory on trucks and buses.

## Did you know?

Daytime Running Lights **increase the visibility of road users** and thus considerably **reduce the risk of accidents**. Research has shown that all road users, such as pedestrians and cyclists, may also benefit from DRLs. If almost every driver had their headlights on during daytime, more than 30 road fatalities and 500 serious road injuries could be eliminated in the Netherlands alone.\* Some of the drawbacks of DRLs, such as higher fuel consumption and higher emissions of harmful materials, are **reduced** considerably by using **energy-saving LED lighting** modules.



Legislation information source © TCS Conseils mobilité, Emmen | Doctech: 3394.04.fr/FGR | 31.05.2013  
\*Source: © SWOV, Leidschendam, the Netherlands, December 2010

# Which LED Daytime Running Light do you need?

**Safety**

High **visibility** for maximum **safety**

**LED DayLight 9**

Low beam

LED DayLight 9

Carpark compatibility

★★★★★ Ease of installation

**Safety and style**

Exclusive **design** signature, maximum **visibility**

**LED DayLightGuide**

Low beam

LED DayLightGuide

Carpark compatibility

★★★★★ Ease of installation



Visit our LED Daytime Running Lights web page





New

## Safety

### LED DayLight 9

High visibility for maximum safety

- Bright from all angles**  
Multiple-angle mounting for wide-view light effect
- Stylish, uniform illumination**  
New optical design with 9 LED dots
- Fits most car models\***  
Legally mounted on bumper angles up to +/-40°
- Easy installation on all cars**  
Smart clip-on system  
Hybrid, electric and start & stop compatible
- Philips original equipment quality, 100% road legal**  
Water and gravel-impact resistant  
High-quality aluminum housing

The third generation of Philips Daytime Running Lights combines **superior style** and **increased visibility**. With its renewed optical design, the Philips DayLight 9 offers increased mounting flexibility: a **road-legality solution** for **any car** to stand out from the crowd.

\*Please refer to the Philips LED Daytime Running Lights application guide for an overview of all compatible vehicles and models.

Bright and attractive from any angle



LED DayLight 9 dimensions: W125 x H24 x D31 mm



Without DRL

With low beam on

With LED DayLight 9



## Safety and style LED DayLightGuide

Exclusive design signature,  
maximum visibility

- Exclusive design signature**  
Homologated Lightguide technology
- Philips original equipment quality**  
Water and gravel-impact resistant  
High-quality aluminum housing
- 24-hour visibility**  
Dimmable: stays on night and day  
High-power new generation LED  
Wide angle to be seen better
- Easy installation on all cars**  
Smart clip-on system  
Hybrid, electric and start & stop compatible

The new generation of high-power Luxeon® LED Daytime Running Lights **improves** your **safety** on the road, increasing your visibility without **compromising** on **lifetime** and **energy** consumption.

LED Daytime  
Running Lights for  
better visibility



LED DayLightGuide dimensions: W165 x H22 x D35 mm



Without DRL

With low beam on

With LED DayLightGuide

## LED DayLightGuide

	Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
	12825WLEDX1	7.7	6.8	Click 2	38638733	8 727900 386387	-	8727900386394	R87	2

## LED DayLight 9

	Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
	12831WLEDX1	7.9	6	Click 2	39170145	8 727900 391701	-	8727900391718	R87	3

# 24V

## Bus and Truck lighting



Our 24V Bus and Truck range **outperforms all the competition!** For maximum **safety, comfort** and **savings**, discover our 24V MasterDuty and MasterLife, now offering **ultimate lifetime** and improved **vibration resistance**. These original equipment quality lighting solutions offer **maximum performance** and minimum downtime. Our lamps keep a **fleet productive** and **on the move** by minimizing time-consuming interruptions. We are committed to developing the most powerful and robust 24V lighting solutions on the market in order to **meet the needs** of both large and small fleet owners, transportation departments and all garage professionals.

# Which **24V** Bus and Truck lamp do you **need?**

**Safety and durability**

**Outperforms** everything on the road



**MasterLife**



**x4**

Lifetime: Standard 1800 h<sup>\*</sup> Available in H1, H3, H4, H7, H11

**Built to last**



**MasterDuty**



**x2**

Lifetime: Standard 900 h<sup>\*</sup> Available in H1, H3, H4, H7, H11

**Safety and style**

**Maximum xenon effect**




**MasterDuty BlueVision**



**Standard**



**MasterDuty BlueVision**



**x4**

Lifetime: Standard 900 h<sup>\*</sup> Available in H3, H4, H7



To find out how much you can save by installing Philips MasterLife lamps, visit our **24V cost calculator** page.



**Sales and marketing tools**  
see pages 92, 93



**Safety and durability**

**MasterLife**

Outperforms everything on the road


- Lasts up to **4x longer**<sup>\*</sup>
- Maximum vibration resistance **2x**<sup>\*</sup>
- Extra robust double-coil filament
- High-performance quartz glass
- Philips original equipment quality

Philips MasterLife lasts up to **4x longer** while withstanding extreme **stress** and **vibration**. MasterLife offers the **best lifetime on the market**, lasting **4x longer**<sup>\*</sup> than the average headlamp by using a unique gas composition, together with the geometrical properties of the double-coil filament, designed to reduce tungsten evaporation. It features the vibration resistance of MasterDuty for maximum strength and durability. **MasterLife headlamps outperform the competition by far!**

It is the ultimate original equipment quality truck lighting solution with **maximum performance** and **minimum downtime**. With a **minimum failure rate** they keep a fleet productive and on the move by minimizing time-consuming interruptions. **MasterLife is the smartest choice for large fleet owners!**

Available in C1 packaging

Available in










<sup>\*</sup>Compared to average H4 or H7 product on the market.

## MasterLife and MasterDuty performance chart



# Durability MasterDuty

Built to last

- Lasts up to 2x longer\*
- Maximum vibration resistance 2x\*
- Reinforced mount and base guards against shock
- Extra robust double-coil filament
- High-performance quartz glass
- Philips original equipment quality



The Philips MasterDuty headlamps are designed for **maximum vibration resistance** and excellent **lifetime**. These headlamps **last 2x longer** and have **twice the vibration resistance** of an average lamp on the market. MasterDuty features increased mount and base stiffness for ultimate protection against mechanical shock as well as a robust double coil filament designed to withstand severe vibration while remaining stable.

MasterDuty is the **right choice** for drivers seeking **toughness that lasts**.

\*Compared to average H4 or H7 product on the market.



# Which **lamp** for which **function**





**P21/5W**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13499CP	24	21/5	BAY15d	48424673	8 711500 484246	8711500484253	8711500484260	E1 2CU	200

**PY21W MasterLife**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13496MLCP	24	21/5	BAY15d	69964728	8 727900 699647	8727900699654	8727900699661	E1 2CU	200

**Stop P22**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13401CP	24	15	BA15s	87826728	8 711500 878267	8711500878274	8711500878281	-	200
13402CP	24	15	BA15d	87836628	8 711500 878366	8711500878373	8711500878380	-	200

**Stop P25**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13445CP	24	18	BA15s	48443728	8 711500 484437	871150048444	871150048451	-	200

**R5W MasterLife**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13821MLCP	24	5	BA15s	69970828	8 727900 699708	8727900699715	8727900699722	E1 2BB	200

**R5W MasterDuty**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13821MDCP	24	5	BA15s	69955528	8 727900 699555	8727900699562	8727900699579	E1 2BB	200

**R5W**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13821B2	24	5	BA15s	40453430	8 711500 404534	-	8711500405425	E1 2BB	10
13821CP	24	5	BA15s	48338673	8 711500 483386	8711500483393	8711500483409	E1 2BB	200

**R10W MasterLife**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13814MLCP	24	10	BA15s	69967828	8 727900 699678	8727900699685	8727900699692	E1 2BH	200

**R10W MasterDuty**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13814MDCP	24	10	BA15s	69952428	8 727900 699524	8727900699531	8727900699548	E1 2BH	200

**R10W**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13814B2	24	10	BA15s	40452730	8 711500 404527	-	8711559526409	E1 2BH	10
13814CP	24	10	BA15s	48344773	8 711500 483447	8711500483454	8711500483461	E1 2BH	200

**T4W MasterLife**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13929MLCP	24	4	BA9s	69976028	8 727900 699760	8727900699777	8727900699784	E1 2BX	200

**T4W MasterDuty**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13929MDCP	24	4	BA9s	69958628	8 727900 699586	8727900699593	8727900699609	E1 2BX	200

**T2W - T3W**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13913CP	24	2	BA9s	22003528	8 711500 220035	8711500220042	8711500220059	-	200
13910CP	24	3	BA9s	21955828	8 711500 219558	8711500219565	8711500219572	-	200

**T4W**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13929B2	24	4	BA9s	40454130	8 711500 404541	-	8711500405432	E1 2BX	10
13929CP	24	4	BA9s	21985573	8 711500 219855	8711500219862	8711500219879	E1 2BX	200

**Miniature halogen signaling USA**

**WBT5**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13516CP	24	1.2	W2x4,6d	48306573	8 711500 483065	8711500483072	8711500483089	-	200
13521CP	24	1	W2x4,6d	48324928	8 711500 483249	8711500483256	8711500483263	-	200
13974CP	24	2	W2x4,6d	48318828	8 711500 483188	8711500483195	8711500483201	-	200

**Festoon****Festoon T6,2x27**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13818CP	24	3	SV6	48464228	8 711500 484642	8711500484659	8711500484666	-	200

**Festoon T6,2x35**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13848CP	24	3	SV6	48470328	8 711500 484703	8711500484710	8711500484727	-	200

**Festoon T10,5x38 10W**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13854CP	24	10	SV8,5	48251828	8 711500 482518	8711500482525	8711500482532	-	200

**C5W**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13844B2	24	5	SV8,5	40463330	8 711500 404633	-	8711500405388	E1 2BN	10
13844CP	24	5	SV8,5	48197973	8 711500 481979	8711500481986	8711500481993	E1 2BN	200

**Festoon T10,5x43 5W**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13864CP	24	5	SV8,5	48233428	8 711500 482334	8711500482341	8711500482358	-	200

**Festoon T10,5x43 10W**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13866CP	24	10	SV8,5	48245728	8 711500 482457	8711500482464	8711500482471	-	200

**Festoon T15x43**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13807CP	24	18	SV8,5	48294528	8 711500 482945	8711500482952	8711500482969	-	200

**Festoon T15x43**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13850CP	24	15	SV8,5	48288428	8 711500 482884	8711500482891	8711500482907	-	200

**Bax****Bax 8,3s/1,35 grey**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13597CP	24	1.2	B8,3s/1,35	48384328	8 711500 483843	8711500483850	8711500483867	-	200

**Bax 8,5d/2 grey**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
13598CP	24	1.2	B8,5d/2	48390428	8 711500 483904	8711500483911	8711500483928	-	200

**Bax 8,5d brown**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
24032CP	24	1.2	B8,5d	48852728	8 711500 488527	8711500488534	8711500488541	-	200

**Bax 8,5d/2 yellow**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
24029CP	24	1.2	B8,5d/2	48402428	8 711500 484024	8711500484031	8711500484048	-	200

**MiniKit H4 MasterDuty**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
55554SKMDKM	24	-	-	69586130	8 727900 695861	-	8727900695885	-	10

**Content**

Lamp type	H4	H7	P21W	R5W	R10W	C5W	T4W	Fuse 15A	Fuse 20A	Fuse 30A
Quantity	1	-	1	1	1	1	1	1	1	1

**MiniKit H7 MasterDuty**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
55555SKMDKM	24	-	-	69590830	8 727900 695908	-	8727900695939	-	10

**Content**

Lamp type	H4	H7	P21W	R5W	R10W	C5W	T4W	Fuse 15A	Fuse 20A	Fuse 30A
Quantity	-	1	1	1	1	1	1	1	1	1

**MaxiKit H4 MasterDuty**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
55559LKMDKM	24	-	-	69684494	8 727900 696844	-	8727900696851	-	4

**Content**

Lamp type	H4	P21W	P21/5W	PY21W	R5W	R10W	C5W	W5W	T4W	Fuse 10A	Fuse 15A	Fuse 20A	Fuse 30A
Quantity	2	2	2	1	3	2	2	1	1	2	2	2	2

**MaxiKit H7 MasterDuty**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
55560LKMDKM	24	-	-	69686894	8 727900 696868	-	8727900696875	-	4

**Content**

Lamp type	H7	P21W	P21/5W	PY21W	R5W	R10W	C5W	W5W	T4W	Fuse 10A	Fuse 15A	Fuse 20A	Fuse 30A
Quantity	2	2	2	1	3	2	2	1	1	2	2	2	2

**MaxiKit H1/H7 MasterDuty**

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
55561LKMDKM	24	-	-	69688294	8 727900 696882	-	8727900696899	-	4

**Content**

Lamp type	H1	H7	P21W	P21/5W	PY21W	R5W	R10W	C5W	W5W	T4W	Fuse 10A	Fuse 15A	Fuse 20A	Fuse 30A
Quantity	1	1	2	2	1	3	2	2	1	1	2	2	2	2

# Two-wheeler lighting



At Philips, we believe that road safety begins with appropriate lighting. Our motorcycle lighting solutions are engineered to provide a powerful, bright light for **maximum safety**.

Being seen on a motorcycle is equally important as seeing, so we have designed a full range of lighting solutions to provide the **safety** your customer needs as well as the **styling** he's been looking for.



# Which **two-wheeler** lamp do you **need?**

**Feel safe, ride safe**

**30% more light\***

**H7**  

**Vision Moto** ★★★★☆

  
+30%

  
Vision Moto

Brightness: Standard vs Vision Moto  
Beam performance: Standard vs Vision Moto  
Lifetime: 0 h vs 200 h vs 800 h vs >1000 h

Available in H4, H7, HS1

**See & be seen**

**H7**  

**CityVision Moto** ★★★★★

  
+40%

  
CityVision Moto

Brightness: Standard vs CityVision Moto  
Beam performance: Standard vs CityVision Moto  
Lifetime: 0 h vs 200 h vs 800 h vs >1000 h

Available in H4, H7, HS1

**up to 100% more light\***

**H7**  

**X-tremeVision Moto** ★★★★★

  
+100%

  
X-tremeVision Moto

Brightness: Standard vs X-tremeVision Moto  
Beam performance: Standard vs X-tremeVision Moto  
Lifetime: 0 h vs 200 h vs 800 h vs >1000 h

Available in H4, H7, HS1

\*Compared to a standard lamp



To find the type of lamp you need for your motorcycle, visit our Two-wheeler application guide



## Safety Vision Moto

30% more light\*

- Competitive price
- Greater light-beam projection
- High-quality quartz glass
- Designed for demanding drivers
- Philips original equipment quality

Producing **30% more light** than a standard lamp, Vision Moto allows riders to see farther with improved light-beam performance at a very **competitive price**. For greater safety, choose Vision Moto!



\*Compared to a standard lamp

## Safety CityVision Moto

See and be seen

- Distinctive orange effect
- Maximum safety
- Specifically designed for city use
- 40% more bright light\*
- High-quality quartz glass



For maximum safety and visibility, Philips offers the CityVision Moto lighting solution with a distinctive, **attention-grabbing orange effect** in the headlight. Motorcycle riders everywhere are looking for more safety, especially riders in heavy city traffic. Philips has specifically engineered the CityVision Moto for **maximum visibility** as well as **maximum safety**. Producing an orange effect quickly seen by other drivers, the CityVision Moto also produces **40% more bright white light\*** so that riders can see farther for maximum safety.

\*Compared to a standard lamp

# Safety

## X-tremeVision Moto

Up to 100% more light\*

- Maximum brightness
- High-quality quartz glass
- Unique gas filling for optimal lifetime and durability
- Up to 35-meter longer beam\*
- Maximum comfort and safety

X-tremeVision Moto is engineered with state-of-the-art technology based on a unique filament design and optimized geometry for **maximum performance** and bright, white light where it matters most.

Philips X-tremeVision Moto offers up to **100% more light\*** for riders who need to see farther for **ultimate performance** and **safety**.

\*Compared to a standard lamp



Available in



H4



H7

# Which **lamp** for which **function**



Low beam - high beam



Front indicators



Front parking light




Rear parking light



Licence plate lights



Rear indicators



Standard



BlueVision Moto

# Style


## BlueVision Moto

Xenon ultimate effect

- Stylish blue xenon effect in the headlight
- 4 000 K bright white light on the road
- Exclusive Gradient Coating™ technology
- High-quality quartz glass
- Ultimate style

For riders seeking ultimate style, discover Philips BlueVision Moto with its **ultimate blue xenon effect**. Philips unique, state-of-the-art Gradient Coating™ technology creates a stylish xenon effect in the headlight while producing a powerful 4 000 K bright, white light on the road. It is unmatched in a fully homologated road-legal lamp.

This is the stylish lamp your customers have been waiting for!



Standard



BlueVision Moto



Available in



H4



H7

\*Compared to a standard lamp

#### H4 Vision Moto

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12342PRBW	12	60/55	P43t-38	49024730	8 711500 490247	-	871500490254	E1 2C3	10



#### H4 CityVision Moto

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12342CTBVW	12	60/55	P43t-38	39896030	8 727900 398960	-	8727900398977	E1 2C3	10



#### H4 X-tremeVision Moto

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12342XVBW	12	60/55	P43t-38	36229930	8 727900 362299	-	8727900362305	E1 2C3	10



#### H4 BlueVision Moto

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12342BVUBW	12	60/55	P43t-38	36231230	8 727900 362312	-	8727900362329	E1 2C3	10



#### H7 Vision Moto

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12972PRBW	12	55	PX26d	49026130	8 711500 490261	-	871500490278	E1 2Z2	10



#### H7 CityVision Moto

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12972CTBVW	12	55	PX26d	39898430	8 727900 398984	-	8727900398991	E1 2Z2	10



#### H7 X-tremeVision Moto

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12972XVBW	12	55	PX26d	35151430	8 727900 351514	-	8727900351521	E1 2Z2	10



#### H7 BlueVision Moto

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12972BVUBW	12	55	PX26d	35153830	8 727900 351538	-	8727900351545	E1 2Z2	10



#### HS1 Vision Moto

Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12636BW	12	35/35	PX43t	53035330	8 727900 530353	-	8727900530360	E1 2E5	10



#### HS1 CityVision Moto



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12636CTBVW	12	35/35	PX43t	39894630	8 727900 398946	-	8727900398953	-	10



#### S2



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12728BW	12	35/35	BA20d	77385230	8 711500 773852	-	871500773869	E1 2D1	10



#### S3



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12008BW	12	15	P26s	77381430	8 711500 773814	-	871500773845	E1 2IZ	10
12008C1	12	15	P26s	77394460	8 711500 773944	871500773968	871500773951	E1 2IZ	100



#### Signaling lamps



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12256B2	12	3	W2,1x9,5d	52410830	8 711559 524108	-	871559524122	E1 2CD	10
12256CP	12	3	W2,1x9,5d	48144373	8 711500 481443	871500481450	871500481467	E1 2CD	200



#### P21W



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12498B2	12	21	BA15s	5549130	8 711500 055491	-	871559520131	E1 2CH	10
12498CP	12	21	BA15s	49078073	8 711500 490780	871500490797	871500490803	E1 2CH	200



#### P21/5W ExtraDuty



Ordering number	V	W	Base	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
12499EDBW	12	21/5	BAY15d	87900430	8 711500 879004	-	871500879035	E1 2CR	20



# Headlight restoration kit

We developed the **Headlight restoration kit** to restore automobile, truck and two-wheeler lenses to like-new condition with **professional results** without the need of any power tools. This is a high-quality and **cost-effective alternative** to complete headlight replacement. Its **UV-protection** is guaranteed for two years. A smart addition to automotive lighting and a handy **addition to your toolbox!** Your customers' satisfaction guaranteed!

## Safety Headlight restoration kit

Restores headlight lenses to like-new condition!

- Less glare and up to 100% brighter lens
- Provides safer night-time driving
- Removes haze and yellowing from harmful UV-rays and dirt
- Professional results without power tools in 30 minutes
- High quality and economical
- 2-year UV-protection guaranteed

Removes the fading and yellowing of headlight lenses and restores them to their original state of **transparency** for greater safety. Headlight lenses fade and oxidize from constant exposure to the elements and become scratched due to impacts. The **protective UV coating** applied at the factory deteriorates causing the lenses to yellow, which can result in a **40% loss of night-time light**. The **Headlight restoration kit** contains all you need to restore two headlight lenses of any vehicle for your customer's **safety** and **satisfaction**.



### Headlight restoration kit

Ordering number	GOC	EAN1	EAN2	EAN3	Packing quantity
HRKOOXM	39170145	8 727900 399769	-	8727900399776	6



Sales and  
marketing tools  
see page 94



# Professional **workshop** 66 lamps

## Defeat darkness



There's **no room for errors** when you are in a **race**. And when the nearest town is hundreds of kilometers away, you need to be sure things work at their best.

Our Professional workshop lamps are designed to **illuminate every detail** with pinpoint precision, letting you **focus** on getting the **job done**. So, no matter how challenging the situation is, when it puts your skills to the test, you can **be sure** you've got the **right tools for the job**.



The Philips professional workshop lamps are a **big improvement** on the LED lamps we used to work with. The **light output** is **enormous**; they **outperform** everything I've ever used before. They can withstand fluids and are **resistant** to sand, dirt, grease. They're scratch resistant and **robust**."

Andree van de Kamp



# Which professional workshop lamp do you need?



**Professional workshop lamps**  
Ideal for brief inspection

<b>90</b> lumens 	<b>120</b> lumens 	<b>145</b> lumens  <b>New</b>	<b>120</b> lumens  <b>100 years of automotive lighting</b>
<b>40°</b> LED pointer	<b>40°</b> LED pointer	<b>80°</b> <b>120 lm</b> LED pointer	<b>80°</b> <b>90 lm</b> LED pointer
Battery Clip Ultra-slim	Battery Clip Ultra-slim	Rechargeable Clip, magnet Ultra-slim	Rechargeable Clip, magnet Ultra-slim
IK06 Shock resistance IP20 Water resistance IP54 Grease and solvent resistant	IK07 Shock resistance IP54 Water resistance IP54 Grease and solvent resistant	IK07 Shock resistance IP54 Water resistance IP54 Grease and solvent resistant	IK07 Shock resistance IP54 Water resistance IP54 Grease and solvent resistant

**Professional workshop lamps**  
Ideal for maintenance and inspection work

<b>150</b> lumens 	<b>200</b> lumens 	<b>220</b> lumens 	<b>300</b> lumens 	<b>330</b> lumens  <b>New</b>	<b>330</b> lumens  <b>New</b>	<b>900</b> lumens  <b>New</b>	<b>750</b> lumens  <b>New</b>
<b>70°</b>	<b>70°</b>	<b>70°</b>	<b>100°</b> UV-A leak detector	<b>100°</b> LED pointer	<b>100°</b> LED pointer	<b>100°</b> LED pointer	<b>360°</b>
Rechargeable Hook Slim	Rechargeable Hook, magnet Compact	Rechargeable Hook, magnet Compact	100-240V cable Hook Slim	100-240V cable Hook, magnet Ultra-slim	100-240V cable and rechargeable Hook, magnet Ultra-slim	100-240V cable Telescopic holder Ultra-slim	Rechargeable Clamp, magnet 3 modules
IK07 Shock resistance IP54 Water resistance IP54 Grease and solvent resistant	IK07 Shock resistance IP54 Water resistance IP54 Grease and solvent resistant	IK07 Shock resistance IP54 Water resistance IP54 Grease and solvent resistant	IK09 Shock resistance IP65 Water resistance IP65 Grease and solvent resistant	IK07 Shock resistance IP54 Water resistance IP54 Grease and solvent resistant	IK07 Shock resistance IP54 Water resistance IP54 Grease and solvent resistant	IK07 Shock resistance IP54 Water resistance IP54 Grease and solvent resistant	IK07 Shock resistance IP54 Water resistance IP54 Grease and solvent resistant



To find out more about Professional workshop lamps, visit [www.philips.com/automotive](http://www.philips.com/automotive)



Sales and marketing tools  
see page 94

LPL18B1

90 lm

## Penlight

See clearly, work better

### Brighter and longer lasting

- 6 powerful, high-quality, long-lasting LEDs
- White and very intense light

### High resistance

- Water and dust proof IP20

### See what remains hidden for others

- Eliminates all shadows
- Focus light: 20 lm

### Battery autonomy of up to 6 hours

The Penlight is compact and easy to operate in confined spaces. Six high-performance, long-lasting LEDs produce a powerful light where needed the most.



LPL28RECHX1

145 lm

## Penlight Premium

Workshop lamp in a compact format

### Comfortable light for fatigue-free work

- High-power LUXEON® LEDs with 145 lm light output
- Natural white light of 6 000 K
- Homogeneous and wide beam

### See what remains hidden to others

- Strong LED pointer of 120 lm
- Robust, comfortable and hands-free

### Rotatable clip holder with integrated magnet

- Robust, aluminum housing with soft grip

### Fast charging and consistent light output

- Latest LFP battery technology (1800 mAh + USB recharging) delivers great battery life
- Up to 6-hour battery autonomy



Available 01/2015 onward

The portable worker's companion that combines high-power LED technology with a robust, user-friendly design in a compact size. Philips Penlight Premium is the choice for those who want maximum light in a small size.



LPL19B1

120 lm

## Penlight Professional

The portable inspection tool

### Very intense white light for optimal vision

- High-quality LEDs with 120 lm light output
- Natural white light of 6 000 K

### Access very narrow cavities

- LED pointer on top 20 lm
- Small and compact

### Up to every inspection job

- Water and dust proof IP54
- Shock-resistant housing
- 11-hour battery autonomy

Philips Penlight Professional is a durable and reliable inspection tool featuring 6 long-lasting and powerful LEDs producing 120 lumens of bright, natural white light for precise inspection of any area.



Limited edition



LPL25RECHX1

120 lm

100 years  
of automotive lighting

## Penlight Premium

Limited 100 year gold edition

Since producing our first headlight in 1914, Philips has become the world's largest supplier of lamps to the automotive industry. In light of this "lighting anniversary" we have released a limited edition of a special, commemorative Penlight Premium.



The Philips Professional workshop lamps range is specifically designed for **maintenance** and **long-term inspection work**. These powerful inspection tools are available in either **rechargeable** (RCH) or **cabled** (CBL) versions.

LPL20X1

RCH10

150 lm

Cordless professional lighting tool

#### More light output

- White LED light

#### High resistance

- Impact resistant: IK07
- Water resistant: IP54

#### Hands-free lighting

- Cordless, with rotatable hook

The compact rechargeable workshop lamp is ideal for quick inspection and longer repair operations.

It eliminates all shadows with its strong 70° light beam while its 360° rotatable hook provides a hands-free working environment.



New

LPL12X1 / LPL13X1

200 lm

RCH20

Cordless professional lighting tool with docking station

#### Homogeneous and very white light

- 1 LED strip with 200 lm light output
- 6 000 K color temperature to reduce eye strain
- Broad illumination area of 70°

#### Hands-free use

- Powerful, integrated magnet
- Retractable 360° hook

#### Quick charging

- Operating time of up to 3 hours
- Fast recharging on docking station

Powerful and cordless, Philips RCH20 lighting tool features 200 lumens in a single LED strip for precise and homogeneous lighting.



LPL10UVX1 / LPL11UVX1

220 lm

RCH30

Cordless professional lighting tool with UV-A leak detector

#### More light for optimal vision

- 8 high-power LEDs with 220 lm light output
- Increased beam angle of 70°

#### Robust and highly resistant solution

- Improved battery capacity: 4-hour battery autonomy
- Docking station for inductive charging
- High protection rating: IP66 and IK09

#### The easy-to-use and versatile tool

- Integrated magnet
- UV-A light function to detect air conditioning leaks
- Smart shape for easy positioning

Boasting powerful LEDs for precise visual inspection and a UV-A leak detector, the Philips RCH30 workshop lamp is a versatile illumination tool with up to 4-hour battery autonomy.



Professional workshop lamps  
Rechargeable

LPL16X1

300 lm

## CBL20

Professional lighting tool

### Improved light output

- 12 powerful LEDs with 300 lm light output producing a 100° wide angle
- More natural light temperature of 6 000 K

### Robust and resistant

- Robust protective housing: IP54 and IK07
- Operates from -10° up to 40°

### Comfortable and easy to use

- Soft ergonomic grip
- Retractable hook

Our cabled professional workshop lamp has been made with all possible maintenance jobs in mind. We are working with experts to better understand how light affects worker's performance in production environments.



LPL14X1 / LPL15X1

330 lm

## CBL30

Professional lighting tool  
with focus light

### Best-in-class light output

- 12 High-power LEDs with 330 lm light output under a wide angle of 100°
- Strong LED pointer of 90 lm
- 6 500 K color temperature

### Robust and ultra resistant

- Robust protective housing: IP54 and IK07
- Operates from -10° up to 40°

### Ultra-slim and easy-to-use

- Ultra-slim design allows it to reach even into the narrowest of spaces
- Versatile 360° magnetic hook to clip onto all surfaces
- Soft ergonomic grip

The ultra-slim professional workshop lamp delivers high amounts of light, through the powerful Philips LEDs mounted on a thin frame with a LED focus light on top.



New

LPL22X1

330 lm

## CBL40

Professional multi-purpose lamp

### Dual usage: corded and cordless

- 6-meter cable
- Up to 2 hours of cordless usage

### More light output

- High-power LED
- 100° beam angle

### More eye comfort

- White LED light
- 6 500 K

### Powerful LED focus light

- With high-power LED
- Hands-free lighting
- 360° clipping hook with magnet



With its smart back-up battery, the multi-purpose Philips professional workshop lamp offers the comfort of a traditional lamp and the benefits of a rechargeable lamp. With its ultra-slim design and focus light, it illuminates even the smallest details.





LPL24X1

900 lm

## CBL50

Professional bonnet\* lamp

### More light output

- High-power LED
- 100° beam angle

### More eye comfort

- White LED light
- 6 500 K

### High resistance

- Robust aluminum housing
- Water- and dust-proof

### Hands-free lighting


- Adjustable telescopic mounting

The Philips bonnet lamp offers a powerful 900-lumen light output to ensure total illumination of your working area.

With its adjustable telescopic mounting, this professional bonnet lamp will illuminate any engine compartment.



\*Bonnet = hood



LPL263MODX1

750 lm

Professional  
workshop lamps  
Rechargeable

## MDLS - Multidirectional Lighting System

All-in-one lighting system for professionals

### Four tools in one

- Use as light box, torch, spotlight and light bar

### More light output

- High-power LUXEON® T LEDs for long-lasting comfortable light output
- Natural white light of 6 000 K
- Two light modes: 360 and 750 lm
- Powerful magnet, rotatable heads and adjustable lenses

### Robust tools

- Robust protective housing: IP54 and IK07
- Sturdy toolbox for storing and recharging of the module

### Never lose your lamp again

- Improved color scheme for easy relocation



The MDLS is an all-in-one professional lighting solution, representing a new generation of workshop lamps designed for professionals. Robust and hands-free, the three multidirectional modules will provide you optimal visibility without shadows.



## Penlight



Ordering number	V	W	Plug	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
LPL18B1	4.5	1.6	-	38821340	8 727900 388213	-	8727900388220	-	20

## Penlight Professional



Ordering number	V	W	Plug	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
LPL19B1	4.5	1.6	-	38819031	8 727900 388190	-	8727900388206	-	6

## Penlight Premium Limited 100 year gold edition



Ordering number	V	W	plug	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
LPL25RECHX1	100-240	6	EU	39206733	8 727900 392067	-	8727900392074	-	2

## Penlight Premium



Ordering number	V	W	plug	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
LPL28RECHX1	100-240	6	EU	39220394	8 727900 392203	-	8727900392210	-	4

## Powerful universal USB car charger 2A



Ordering number	V	W	plug	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
DLP2257/10	5	10.5	-	-	8 712581 639617	8712581639611	8712581639614	-	-

## RCH10 Professional lighting tool



Ordering number	V	W	Plug	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
LPL20X1	100-240	2.5	EU	39060531	8 727900 390605	-	8727900390612	-	6
LPL21X1	100-240	2.5	UK	39172531	8 727900 391725	-	8727900391732	-	6

## RCH20 Rechargeable workshop lamp with docking station



Ordering number	V	W	Plug	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
LPL12X1	110-240	2.4	EU	38946331	8 727900 389463	-	8727900389470	-	6
LPL13X1	110-240	2.4	UK	38948731	8 727900 389487	-	8727900389494	-	6

## RCH30 Rechargeable workshop lamp with UV-A leak detector - with docking station



Ordering number	V	W	Plug	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
LPL10UVX1	110-240	2.5	EU	38942531	8 727900 389425	-	8727900389432	-	6
LPL11UVX1	110-240	2.5	UK	38944931	8 727900 389449	-	8727900389456	-	6

## CBL20 Workshop lamp multivoltage



Ordering number	V	W	Plug	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
LPL16X1	110-240	5	EU	38954831	8 727900 389548	-	8727900389555	-	6

## CBL30 Workshop lamp multivoltage with focus light



Ordering number	V	W	Plug	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
LPL14X1	24/100-240	5	EU	38950031	8 727900 389500	-	8727900389517	-	6
LPL15X1	24/100-240	5	CH	38952431	8 727900 389524	-	8727900389531	-	6

## CBL40 Professional multi-purpose lamp



Ordering number	V	W	Plug	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
LPL22X1	24/100-240	5	EU	39062931	8 727900 390629	-	8727900390636	-	6

## CBL50 Professional bonnet lamp



Ordering number	V	W	Plug	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
LPL24X1	24/100-240	15	EU	39066731	8 727900 390667	-	8727900390674	-	6

## MDLS Multidirectional lighting system



Ordering number	V	W	Plug	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
LPL263MODX1	100-240	3.2	EU & UK	39210466	8 727900 392104	-	8727900392111	-	1

## MDLS Multidirectional lighting system - spare module



Ordering number	V	W	Plug	GOC	EAN1	EAN2	EAN3	ECE	Packing quantity
LPL27SPAREX1	100-240	3.2	-	39212833	8 727900 392128	-	8727900392135	-	2

# Online tools

[www.philips.com/automotive](http://www.philips.com/automotive)



Welcome to our fully-revamped **consumer website**. Each **product category page** allows you to discover our full portfolio of lighting products. From **headlamps** (halogen and xenon) to **signaling and interior lighting** (conventional and LED), **LED Daytime Running Lights** and **accessories** such as our complete **Professional workshop lamps** offer.

Discover our new **online catalog** filled with useful information **about every Philips lighting product** we offer, technical specifications and **Where-to-buy** information. Visit our handy **Product selection** tool and the **Experience your light** module—helpful when choosing an automotive lighting product.

## Product category pages

Our **Product category pages** are dedicated to **automotive** and **two-wheeler lighting**. Discover our **new** products, our **innovative** technology or our special events.

## Online catalog pages

Our **new Online catalog** pages let you discover **all the information you need about all of our lighting products**. Read in detail about the **product features**, the availability and certification information, download product **images** and view the product **movie**.

## Tools

Our rich **tools pages**, such as the **Car light experience** module, let you experience our powerful lighting by comparing our upgrade lamp to a standard one.

# Sales and marketing tools

We've created useful **tools** to satisfy your customers' needs and expectations and to help you market and sell Philips Automotive products with success. As always, we strive to **educate** the consumer with coherent and **consistent in-store** information. We invite you to **place your order** using the ordering information or simply **contact** your Philips sales representative!

## 12V car lighting

### X-tremeVision NEW EXTRA LIGHT BRIGHTNESS



**X-tremeVision clip strip**  
Blister pack version  
12 H7 XV+ B1  
8 H4 XV+ B1



**X-tremeVision clip strip**  
Special pack version  
12 H7 XV+ S2  
4 H4 XV+ S2



**X-tremeVision counter display**  
Special pack version  
8 H7 XV+ S2  
4 H4 XV+ S2



**X-tremeVision counter display**  
Special and blister pack version  
4 H7 XV+ S2  
2 H4 XV+ S2  
6 H7 XV+ B1  
2 H4 XV+ B1



**X-tremeVision floor display**  
Special pack version  
24 H7 XV+ S2  
12 H4 XV+ S2



**X-tremeVision floor display**  
Special and blister pack version  
9 H7 XV+ S2  
9 H4 XV+ S2  
12 H7 XV+ B1  
12 H4 XV+ B1



**X-tremeVision/Vision counter display**  
Blister and commercial pack version  
20 H7 C1 Vision  
6 H7 B1 XV+

## Ordering information

Description	Ordering number	GOC	EAN1	EAN3	MOQ
X-tremeVision clip strip - blister pack version	56375XV+BD	39252466	8727900392524	8727900392531	1
X-tremeVision clip strip - Special pack version	56379XV+SD	39259366	8727900392593	8727900392586	1
X-tremeVision counter display - Special pack version	56385XV+SD	39276066	8727900392760	8727900392777	1
X-tremeVision counter display - Special and blister pack version	56387XV+XD	39280766	8727900392807	8727900392814	1
X-tremeVision floor display - Special and blister pack version	56381XV+XD	39268566	8727900392685	8727900392692	1
X-tremeVision floor display - Special pack version	56383XV+SD	39272266	8727900392722	8727900392739	1
X-tremeVision/Vision counter display - Blister and commercial pack version	56368XV+XD	39234066	8727900392340	8727900392357	1

Tool images are non-contractual and may be modified by Philips.

# 12V car lighting

WhiteVision

New



**WhiteVision clip strip**  
Blister pack version  
12 H7 WhiteVision B1  
8 H4 WhiteVision B1



**WhiteVision clip strip**  
Special pack version  
12 H7 WhiteVision S2  
4 H4 WhiteVision S2



**WhiteVision counter display**  
Special and blister pack version  
4 H7 WhiteVision S2  
4 H4 WhiteVision S2  
3 H7 WhiteVision B1  
2 H4 WhiteVision B1



**WhiteVision counter display**  
Special pack version  
8 H7 WhiteVision S2  
4 H4 WhiteVision S2


# ColorVision



**ColorVision clip strip**  
Special pack version  
2 H7 + 2 H4 ColorVision Blue  
2 H7 + 2 H4 ColorVision Green  
2 H7 + 2 H4 ColorVision Yellow  
2 H7 + 2 H4 ColorVision Purple



**ColorVision counter display**  
Special pack version  
2 H7 + 2 H4 ColorVision Blue  
2 H7 + 2 H4 ColorVision Green  
2 H7 + 2 H4 ColorVision Yellow  
2 H7 + 2 H4 ColorVision Purple



**ColorVision floor display**  
Special pack version  
6 H7 + 4 H4 ColorVision Blue  
6 H7 + 4 H4 ColorVision Green  
6 H7 + 4 H4 ColorVision Yellow  
6 H7 + 4 H4 ColorVision Purple



**WhiteVision floor display**  
Blister pack version  
32 H7 WhiteVision B1  
16 H4 WhiteVision B1



**WhiteVision floor display**  
Special pack version  
24 H7 WhiteVision S2  
12 H4 WhiteVision S2



**WhiteVision floor display**  
Special and blister pack version  
9 H7 WhiteVision S2  
9 H4 WhiteVision S2  
12 H7 WhiteVision B1  
12 H4 WhiteVision B1



**WhiteVision/Vision counter display**  
Blister and commercial pack version  
20 H7 Vision C1  
6 H7 WhiteVision B1

## Ordering information

Description	Ordering number	GOC	EAN1	EAN3	MOQ
ColorVision clip strip - Special pack version	56186SD	38977766	8727900389777	8727900389784	1
ColorVision counter display - Special pack version	56185SD	38975366	8727900389753	8727900389760	1
ColorVision floor display - Special pack version	56184SD	38973966	8727900389739	8727900389746	1

## More Light campaign / 12V



**More Light floor display**  
Blister pack version  
12 H7 XV+ B1  
6 H4 XV+ B1  
8 H7 VisionPlus B1  
4 H4 VisionPlus B1  
36 H7 Vision B1  
12 H4 Vision B1  
6 H1 Vision B1



**More Light floor display**  
Special and blister pack version  
9 H7 XV+ S2  
9 H4 XV+ S2  
6 H7 VisionPlus S2  
3 H4 VisionPlus S2  
24 H7 Vision B1  
8 H4 Vision B1  
4 H1 Vision B1



**More Light counter display**  
Special and blister pack version  
2 H7 XV+S2  
2 H4 XV+S2  
2 H7 VisionPlus S2  
2 H4 VisionPlus S2  
3 H7 Vision B1  
3 H4 Vision B1

## Ordering information

Description	Ordering number	GOC	EAN1	EAN3	MOQ
WhiteVision clip strip - Blister pack version	56372WHVBD	39240166	8727900392401	8727900392418	1
WhiteVision clip strip - Special pack version	56373WHVSD	39242566	8727900392425	8727900392432	1
WhiteVision counter display - Special pack version	56369WHVSD	39236466	8727900392364	8727900392371	1
WhiteVision counter display - Special and blister pack version	56370WHVXD	39239566	8727900392395	8727900392388	1
WhiteVision floor display - Blister pack version	56371WHVBD	39249466	8727900392494	8727900392500	1
WhiteVision floor display - Special pack version	56378WHVSD	39264766	8727900392647	8727900392654	1
WhiteVision floor display - Special and blister pack version	56376WHVXD	39256266	8727900392562	8727900392548	1
WhiteVision/Vision counter display - Blister and commercial pack version	56366WHVXD	39230266	8727900392302	8727900392319	1

To place an order, please contact your Philips sales representative.

## Ordering information

Description	Ordering number	GOC	EAN1	EAN3	MOQ
More Light floor display - Blister pack version	56398XV+BD	39297566	8727900392975	8727900392968	1
More Light floor display - Special and blister pack version	56394XV+SD	39288366	8727900392883	8727900392890	1
More Light counter display - Special and blister pack version	56396XV+SD	39292066	8727900392920	8727900392937	1

# 12V/24V displays

- Resistant metallic body
- Contains a lock for more safety
- Two handy drawers for signaling lamps
- External drawer for your tools
- A lamp tester may be included
- Business card holder
- Philips marketing information on the inside door is adaptable or replacable

This **practical metallic wall dispenser** is sold together with certain Philips product orders. It may also be delivered filled with Philips lighting products (see composition).

To place an order, please contact your Philips sales representative.



## Ordering information

Description	Ordering number	GOC	EAN1	EAN3	MOQ
Philips metallic 12V wall dispenser with lamp tester	56202CD	39029266	8727900390292	8727900390308	1
Philips metallic 12V wall dispenser	56208CD	39041466	8727900390414	8727900390421	1
Philips metallic 24V wall dispenser with lamp tester	56204CD	39033966	8727900390339	8727900390346	1
Philips metallic 24V wall dispenser	56201CD	39037766	8727900390377	8727900390384	1

## Philips metallic 12V wall dispenser

### Content

Description	V	W	Ordering number	Quantity
H1 Vision	12	55	12258PR	10
H3 Vision	12	55	12336PR	10
H4 Vision	12	60/55	12342PR	10
H7 Vision	12	55	12972PR	20
H7 LongLife	12	55	12972LL	10
W1,2W	12	1.2	12516CP	20
W5W	12	5	12961CP	20
WY5W	12	5	12396CP	10
C5W	12	5	12844CP	10
P21W	12	21	12498CP	20
PY21W	12	21	12496CP	10
P21/4W	12	21/4	12594CP	10
P21/5W	12	21/5	12499CP	20
R5W	12	5	12821CP	20
R10W	12	10	12814CP	20
T4W	12	4	12929CP	20
Festoon T10,5x43	12	10	12866CP	10

## Philips metallic 24V wall dispenser

### Content

Description	V	W	Ordering number	Quantity
H1 MasterDuty	24	70	13258MDC1	10
H3 MasterDuty	24	70	13336MDC1	10
H4 MasterDuty	24	75/70	13342MDC1	10
H7 MasterDuty	24	70	13972MDC1	10
R5W	24	5	13821CP	10
R10W	24	10	13814CP	10
P21W MasterLife	24	21	13929MLCP	10
T2W	24	2	13913CP	10
T4W	24	4	13929CP	10
W1,2W (WBT5)	24	1.2	13516CP	10
W3W	24	3	13256CP	10
W5W	24	5	13961CP	10
C5W	24	5	13844CP	10
Festoon T10,5x43	24	10	13866CP	10
Bax 1.2W 8.5d/2 grey	24	1.2	13598CP	10
Bax 1.2W 8.5d/2 yellow	24	1.2	24029CP	10

## 12V/24V counter displays



**Vision counter display**  
Commercial pack version  
20 H7 Vision C1  
10 H4 Vision C1



**MasterDuty counter display**  
Commercial pack version  
20 H7 MasterDuty C1  
10 H4 MasterDuty C1

## Ordering information

Description	Ordering number	GOC	EAN1	EAN3	MOQ
Vision counter display	56299CD	39192366	8727900391923	8727900391930	1
MasterDuty counter display	56300CD	39194766	8727900391947	8727900391954	1

## Specimen packaging

Discover the perfect anti-theft solution for your store.



## Ordering information

Description	Ordering number	GOC	EAN1	EAN3
<b>12V halogen</b>				
H7 VP SF	56295SF	39012428	8727900390124	8727900390131
H4 VP SF	56293SF	39010028	8727900390100	8727900390117
H1 VP SF	56252SF	39991228	8727900399912	8727900399929
H7 LLECO S2	56294SF	39004928	8727900390049	8727900390056
H4 LLECO S2	56292SF	39002528	8727900390025	8727900390032
H1 LLECO S2	56261SF	26909128	8718696269091	8718696269107
H7 VP BI	56277BF	26945930	8718696269459	8718696269466
H4 VP BF	56278BF	26947330	8718696269473	8718696269480
H1 VP BF	56279BF	26949730	8718696269497	8718696269503
H7 LLECO BF	56268BF	26927530	8718696269275	8718696269282
H4 LLECO BF	56270BF	26933630	8718696269336	8718696269343
H1 LLECO BF	56273BF	26939830	8718696269398	8718696269404
H7 XV+ SF	56364SF	26953430	8718696269534	8718696269541
H4 XV+ SF	56399SF	26955830	8718696269558	8718696269565
H1 XV+ SF	56400SF	26957230	8718696269572	8718696269589
H7 WHV SF	56401SF	26959628	8718696269596	8718696269602
H4 WHV SF	56402SF	26962628	8718696269626	8718696269619
H1 WHV SF	56403SF	26963328	8718696269633	8718696269640
H7 XV+ BF	56404BF	26965730	8718696269657	8718696269664
H4 XV+ BF	56405BF	26967130	8718696269671	8718696269688
H1 XV+ BF	56406BF	26969530	8718696269695	8718696269701
H7 WHV BF	56407BF	26971830	8718696269718	8718696269725
H4 WHV BF	56408BF	26973230	8718696269732	8718696269749
H1 WHV BF	56409BF	26975630	8718696269756	8718696269763
<b>LED interior</b>				
T10 XV LED 4000K SF LFT104000KSF	39966030	8727900399660	8727900399677	
T10 XV LED 6000K SF LFT106000KSF	39968430	8727900399684	8727900399691	
Fest. XV LED 4000K SFLFF14000KSF	39970730	8727900399707	8727900399714	
Fest. x LED 6000K SFLFF16000KSF	39972130	8727900399721	8727900399738	

Tool images are non-contractual and may be modified by Philips.

# Professional workshop lamps



Defeat Darkness  
Metallic floor display



Defeat Darkness  
Counter demonstrator\*



Defeat Darkness  
Floor demonstrator\*



Defeat Darkness  
Totem, wobbler and leaflet\*

# Headlight restoration kit



Headlight restoration kit  
Counter display

# Batteries



Battery display  
24\*LR6 + 20\*LR03



Metallic counter display  
5 hooks



Metallic counter display  
12 hooks

## Ordering information

Description	Ordering number	GOC	EAN1	EAN3	MOQ
Defeat Darkness metallic floor display	56144WSLCD	38846666	8727900388466	8727900388473	1
Headlight restoration kit counter display	56229XD	39070466	8727900390704	8727900390711	1
Battery display	SXD6001F/10	56177266	8712581561772	-	1
Metallic counter display - 5 hooks	SBMXD005/00	78865666	8710895788656	-	1
Metallic counter display - 12 hooks	SBMXD012/00	55750866	8712581557508	-	1

To place an order, please contact your Philips sales representative.


# In-store excellence

The in-store experience is essential. We constantly strive to improve the consumers' shopping experience by identifying and understanding their behavior and by satisfying their wants and needs. We strive to educate the consumer by delivering clear and comprehensive messages through packaging, displays and merchandising. **In-store excellence is our goal.**



We offer **complete kits** to dress up your shelves. These may be customized if needed. We provide **shelf-planning** services too.

For more information, contact your philips sales representative.



12V application guide



Headers




Sub-headers



EXTERNAL INDICATORS  
INTERIOR LIGHTS




Price tags



Tool images are non-contractual and may be modified by Philips.

# Technical illustrations

## Lamps



# Technical illustrations

## Bases



# Packaging design


- Attractive design and color codification for easy and pleasant in-store experience
- Product clearly visible
- Clear information-easy choice for the consumer
- Highlighted product benefits
- Philips original equipment quality logo
- Sustainable

Our products are known for their **high quality** as well as for their **simplicity** and **ease of use**.

Discover the improved Philips packaging system that is designed to **help** your customers **make the right choice** when selecting a lighting product. Our attractive and informative packaging helps the customer find the product they are looking for with ease and simplicity.


And of course, our packaging is **sustainable**.

## Special packaging



Consistent message throughout the complete Philips halogen offer, whether it is **blister** or **special** packaging.

## Blister packaging



# Product index

## Xenon solutions

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN2	EAN3	Page
85415VIS1	D1S	Vision	85	35	PK32d-2	36489733	8727900364897	-	8727900364903	11
85415VIC1	D1S	Vision	85	35	PK32d-2	36473633	8727900364736	-	8727900364743	11
85415XVS1	D1S	X-tremeVision	85	35	PK32d-2	36458333	8727900364583	-	8727900364613	11
85415XVC1	D1S	X-tremeVision	85	35	PK32d-2	36441533	8727900364415	-	8727900364439	11
85415BVUS1	D1S	BlueVision ultra	85	35	PK32d-2	36550433	8727900365504	-	8727900365511	11
85415BVUC1	D1S	BlueVision ultra	85	35	PK32d-2	36546733	8727900365467	-	8727900365443	11
85409VIC1	D1R	Vision	85	35	PK32d-3	36475033	8727900364750	-	8727900364767	11
85122VIS1	D2S	Vision	85	35	P32d-2	36491033	8727900364910	-	8727900364927	11
85122VIC1	D2S	Vision	85	35	P32d-2	36477433	8727900364774	-	8727900364781	11
85122XVS1	D2S	X-tremeVision	85	35	P32d-2	36462033	8727900364620	-	8727900364637	11
85122XVC1	D2S	X-tremeVision	85	35	P32d-2	36444633	8727900364446	-	8727900364453	11
85122BVUS1	D2S	BlueVision ultra	85	35	P32d-2	36552833	8727900365528	-	8727900365535	12
85122BVUC1	D2S	BlueVision ultra	85	35	P32d-2	36545033	8727900365450	-	8727900365474	12
85126VIS1	D2R	Vision	85	35	P32d-3	36493433	8727900364934	-	8727900364941	12
85126VIC1	D2R	Vision	85	35	P32d-3	36479833	8727900364798	-	8727900364804	12
85126BVUS1	D2R	BlueVision ultra	85	35	P32d-3	36554233	8727900365542	-	8727900365559	12
85126BVUC1	D2R	BlueVision ultra	85	35	P32d-3	36548133	8727900365481	-	8727900365498	12
85126XVS1	D2R	X-tremeVision	85	35	P32d-3	36464433	8727900364644	-	8727900364651	12
85126XVC1	D2R	X-tremeVision	85	35	P32d-3	36446033	8727900364460	-	8727900364477	12
42403VIS1	D3S	Vision	42	35	PK32d-5	36495833	8727900364958	-	8727900364965	12
42403VIC1	D3S	Vision	42	35	PK32d-5	36481133	8727900364811	-	8727900364828	12
42403XVS1	D3S	X-tremeVision	42	35	PK32d-5	36466833	8727900364668	-	8727900364675	12
42403XVC1	D3S	X-tremeVision	42	35	PK32d-5	36448433	8727900364484	-	8727900364491	12
42306VIC1	D3R	Vision	42	35	PK32d-6	36483533	8727900364835	-	8727900364842	12
42402VIC1	D4S	Vision	42	35	P32d-5	36485933	8727900364859	-	8727900364866	12
42406VIC1	D4R	Vision	42	35	P32d-6	36487333	8727900364873	-	8727900364880	12

## 12V Car lighting

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN2	EAN3	Page
12258PRB1	H1	Vision	12	55	P14.5s	47516930	8711500475169	-	8711500475176	24
12258PRC1	H1	Vision	12	55	P14.5s	47518360	8711500475183	8727900352115	8711500475190	24
12258VPS2	H1	VisionPlus	12	55	P14.5s	36322728	8727900363227	-	8727900363210	24
12258VPB1	H1	VisionPlus	12	55	P14.5s	36320330	8727900363203	-	8727900363197	24
12258XV+S2	H1	X-tremeVision	12	55	P14.5s	37166628	8727900371666	-	8727900371673	24
12258XV+B1	H1	X-tremeVision	12	55	P14.5s	37164230	8727900371642	-	8727900371659	24
12258LLECOS2	H1	LongLife EcoVision	12	55	P14.5s	36255828	8727900362558	-	8727900362565	24
12258LLECOB1	H1	LongLife EcoVision	12	55	P14.5s	36196430	8727900361964	-	8727900361971	24
12258LLECOC1	H1	LongLife EcoVision	12	55	P14.5s	36187230	8727900361872	-	8727900370683	24
12258WHVB1	H1	WhiteVision	12	55	P14.5s	37156730	8727900371567	-	8727900371574	24
12258WHVSM	H1	WhiteVision	12	55	P14.5s	78884928	8711500788849	-	8711500788856	24
12258SPC1	H1 Spot	Standard	12	55	P14.5s	40460230	8711500404602	-	8727900370690	24
12336PRB1	H3	Vision	12	55	PK22s	69561130	8711500695611	-	8711500695628	24
12336PRC1	H3	Vision	12	55	PK22s	69534560	8711500695345	8711500775696	8711500695352	24
12336LLECO1	H3	LongLife EcoVision	12	55	PK22s	77704130	8711500777041	-	8711500779366	24
12336WHVB1	H3	WhiteVision	12	55	PK22s	77951930	8711500779519	-	8711500779526	24
12342PRB1	H4	Vision	12	60/55	P43t-38	47480330	8711500474803	-	8711500474810	25
12342PRC1	H4	Vision	12	60/55	P43t-38	49099560	8711500490995	8711500827807	8711500490988	25
12342VPS2	H4	VisionPlus	12	60/55	P43t-38	39925728	8727900399257	-	8727900399240	25
12342VPB1	H4	VisionPlus	12	60/55	P43t-38	39934930	8727900399349	-	8727900399332	25
12342XV+S2	H4	X-tremeVision	12	60/55	P43t-38	22109428	8711500221094	-	8711500221100	25
12342XV+B1	H4	X-tremeVision	12	60/55	P43t-38	22107030	8711500221070	-	8711500221087	25
12342LLECOS2	H4	LongLife EcoVision	12	60/55	P43t-38	36257228	8727900362572	-	8727900362589	25
12342LLECOB1	H4	LongLife EcoVision	12	60/55	P43t-38	36198830	8727900361988	-	8727900361995	25

Ordering number	Type	Range	V	-	Base	GOC	EAN1	EAN2	EAN3	Page
12342LLECO1	H4	LongLife EcoVision	12	60/55	P43t-38	36189630	8727900361896	-	8727900370836	25
12342CPGS2	H4	ColorVision Green	12	60/55	P43t-38	36787428	8727900367874	-	8727900367881	25
12342CPYS2	H4	ColorVision Yellow	12	60/55	P43t-38	36789828	8727900367898	-	8727900367904	25
12342CPPS2	H4	ColorVision Purple	12	60/55	P43t-38	36791128	8727900367911	-	8727900367928	25
12342CPBS2	H4	ColorVision Blue	12	60/55	P43t-38	36793528	8727900367935	-	8727900367942	25
12342WHVB1	H4	WhiteVision	12	60/55	P43t-38					

## 12V Car lighting

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN2	EAN3	Page
12498B2	P21W	Standard	12	21	BA15s	05549130	8711500055491	-	8711559520131	29
12498CP	P21W	Standard	12	21	BA15s	49078073	8711500490780	8711500490797	8711500490803	29
12594B2	P21/4W	Standard	12	21/4	BAZ15d	40485530	8711500404855	-	8711500471017	29
12594CP	P21/4W	Standard	12	21/4	BAZ15d	48433828	8711500484338	8711500484345	8727900391565	29
12499VPB2	P21/5W	VisionPlus	12	21/5	BAY15d	36316630	8727900363166	-	8727900363159	29
12499LLECOB2	P21/5W	LongLife EcoVision	12	21/5	BAY15d	38212930	8727900382129	-	8727900382136	29
12499LLECOCP	P21/5W	LongLife EcoVision	12	21/5	BAY15d	38201328	8727900382013	8727900382020	8727900391053	29
12499B2	P21/5W	Standard	12	21/5	BAY15d	05545330	8711500055453	-	8711559520148	29
12499CP	P21/5W	Standard	12	21/5	BAY15d	48159773	8711500481597	8711500481603	8711500481610	29
12495CP	PR21/5W	Standard	12	21/5	BAW15d	48873228	8711500488732	8711500488749	8727900391572	29
12496VS2	PY21W	SilverVision	12	21	BAU15s	47982230	8711500479822	-	8711500479839	29
12496SVB2	PY21W	SilverVision	12	21	BAU15s	31117730	871150031177	-	871150031191	29
12496LLECOCP	PY21W	LongLife EcoVision	12	21	BAU15s	38218128	8727900382181	8727900382198	8727900391084	30
12496NAB2	PY21W	Standard	12	21	BAU15s	52372930	8711559523729	-	8711559523743	30
12496NACP	PY21W	Standard	12	21	BAU15s	52534173	8711559525341	8711559525358	8711559525365	30
12088CP	PR21W	Standard	12	21	BAW15s	48531128	8711500485311	8711500485328	8727900391589	30
12401CP	Stop P22	Standard	12	15	BA15s	87821228	8711500878212	8711500878229	8711500790538	30
12445CP	Stop P25	Standard	12	18	BA15s	48440628	8711500484406	8711500484413	8727900391602	30
12821LLECOB2	R5W	LongLife EcoVision	12	5	BA15s	38208230	8727900382082	-	8727900382099	30
12821LLECOCP	R5W	LongLife EcoVision	12	5	BA15s	38195528	8727900381955	8727900381962	8727900390940	30
12821B2	R5W BA15s	Standard	12	5	BA15s	05546030	8711500055460	-	8711500417701	30
12821CP	R5W BA15s	Standard	12	5	BA15s	48269373	8711500482693	8711500482709	8711500482716	30
12822CP	R5W BA15d	Standard	12	5	BA15d	45407228	8711500454072	8711500454959	8711500790521	30
12814B2	R10W	Standard	12	10	BA15s	05547730	8711500055477	-	8711500417718	30
12814CP	R10W	Standard	12	10	BA15s	48341673	8711500483416	8711500483423	8711500483430	30
12093NACP	RY10W	Standard	12	10	BAU15s	48362128	8711500483621	8711500483638	8727900391619	31
12913CP	T2W	Standard	12	2	BA9s	21997828	8711500219978	8711500219985	8711500220820	31
12910CP	T3W	Standard	12	3	BA9s	21949728	8711500219497	8711500219503	8711500220837	31
12929NBVB2	T4W	WhiteVision	12	4	BA9s	22105630	8711500221056	-	8711500221063	31
12929B2	T4W	Standard	12	4	BA9s	05550730	8711500055507	-	8711559520094	31
12929CP	T4W	Standard	12	4	BA9s	21979473	8711500219794	8711500219800	8711500219817	31
12036B2	H6W	Standard	12	6	BAX9s	24720930	8711500247209	-	8711500247216	31
12036CP	H6W	Standard	12	6	BAX9s	87603428	8711500876034	8711500876041	8727900370676	31
12036BVB2	H6W	BlueVision ultra	12	6	BAX9s	24567030	8711500245670	-	8711500245687	31
12036BVC	H6W	BlueVision ultra	12	6	BAX9s	87609628	8711500876096	8711500876102	8727900370720	31
12023CP	H5W	Standard	12	5	BA9s	51270928	8711559512709	8711559512464	8727900371222	31
12024CP	H10W	Standard	12	10	BA9s	52941728	8711559529417	8711559529424	8727900371192	31
12025CP	H20W	Standard	12	20	BA9s	87600328	8711500876003	8711500876010	8727900371154	31
12356CP	H21W	Standard	12	21	BAY9s	87989928	8711500879899	8711500879905	8727900371116	32
12146CP	HY21W	Standard	12	21	BAY9s	35244328	8727900352443	8727900352450	8727900370867	32
12516B2	W1,2W	Standard	12	1,2	W2x4,6d	05554530	8711500055545	-	8711500417763	32
12516CP	W1,2W	Standard	12	1,2	W2x4,6d	48153573	8711500481535	8711500481542	8711500481559	32
12061CP	W2,3W	Standard	12	2,3	W2x4,6d	48330028	8711500483300	8711500483317	8727900391640	32
12505CP	W2W	Standard	12	2	W2x4,6d	48327028	8711500483270	8711500483287	8727900391657	32
12521CP	WBT5	Standard	12	1	W2x4,6d	48321828	8711500483218	8711500483225	8727900391671	32
12960CP	W2,2W	Standard	12	2,2	W2,1x9,5d	48150428	8711500481504	8711500481511	8727900391633	32
12256B2	W3W	Standard	12	3	W2,1x9,5d	52410830	8711559524108	-	8711559524122	32
12256CP	W3W	Standard	12	3	W2,1x9,5d	48144328	8711500481443	8711500481450	8727900391664	32
12961LLECOB2	W5W	LongLife EcoVision	12	5	W2,1x9,5d	38204430	8727900382044	-	8727900382051	32
12961LLECOCP	W5W	LongLife EcoVision	12	5	W2,1x9,5d	38189428	8727900381894	8727900381900	8727900390872	32
12961NBVB2	W5W	WhiteVision	12	5	W2,1x9,5d	39204330	8727900392043	-	8727900392050	32
12961B2	W5W	Standard	12	5	W2,1x9,5d	40421330	8711500404213	-	8711559520070	32
12961CP	W5W	Standard	12	5	W2,1x9,5d	49090273	8711500490902	8711500490919	8711500490926	32

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN2	EAN3	Page
12396NAB2	WY5W	Standard	12	5	W2,1x9,5d	40058130	8711500400581	-	8711500400598	33
12396NACP	WY5W	Standard	12	5	W2,1x9,5d	53002428	8711559530024	8727900390889	33	
12040VPB2	WBT10	Standard	12	6	W2,1x9,5d	52416030	8711559524160	-	8711559524184	33
12067B2	W16W	Standard	12	16	W2,1x9,5d	40				

## 12V Car lighting

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN2	EAN3	Page
12278C1	PSX26W	Standard	12	26	-	38874930	8727900388749	-	8727900390896	37

### 12V Spare kit essentials

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN2	EAN3	Page
55472EKKM	H1	Easy Kit	12	-	69551928	8727900695519	-	8727900695533	40	
55473EKKM	H4	Easy Kit	12	-	69555728	8727900695557	-	8727900695571	40	
55474EKKM	H7	Easy Kit	12	-	69558828	8727900695588	-	8727900695601	40	
55475EKKM	H1/H7	Easy Kit	12	-	69562528	8727900695625	-	8727900695656	40	
55476EKKM	R2	Easy Kit	12	-	69566328	8727900695663	-	8727900695687	40	
55008SKKM	H1	Single Kit	12	-	52731430	8711559527314	-	8711559527222	40	
55005SKKM	H4	Single Kit	12	-	52730730	8711559527307	-	8711559527246	40	
55007SKKM	H7	Single Kit	12	-	52732130	8711559527321	-	8711559527215	41	
55010SKKM	H1/H7	Single Kit	12	-	30999030	8711500309990	-	8711500310163	41	
55717EBKM	H1	Essential Box	12	-	70032928	8727900700329	-	8727900700336	41	
55718EBKM	H4	Essential Box	12	-	70034328	8727900700343	-	8727900700350	41	
55719EBKM	H7	Essential Box	12	-	70036728	8727900700367	-	8727900700374	41	
55720EBKM	H1/H7	Essential Box	12	-	70038128	8727900700381	-	8727900700398	41	
55721EBKM	R2	Essential Box	12	-	70040428	8727900700404	-	8727900700411	41	

### LED interior lighting for cars and trucks

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN2	EAN3	Page
129404000KX1	Festoon T14x30	XV LED 4 000 K	12	1	SV8,5	38724730	8727900387247	-	8727900387254	45
128584000KX1	Festoon T10,5x38	XV LED 4 000 K	12	1	SV8,5	70340530	8727900703412	-	8727900703405	45
129454000KX1	Festoon T10,5x43	XV LED 4 000 K	12	1	SV8,5	38343030	8727900383430	-	8727900383447	45
127994000KX2	Wedge base (T10)	XV LED 4 000 K	12	1	W2,1x9,5d	39244930	8727900392449	-	8727900392456	45
129416000KX1	Festoon T14x30	XV LED 6 000 K	12	1	SV8,5	38722330	8727900387223	-	8727900387230	45
128596000KX1	Festoon T10,5x38	XV LED 6 000 K	12	1	SV8,5	70338230	8727900703399	-	8727900703382	45
129466000KX1	Festoon T10,5x43	XV LED 6 000 K	12	1	SV8,5	38341630	8727900383416	-	8727900383423	45
127996000KX2	Wedge base (T10)	XV LED 6 000 K	12	1	W2,1x9,5d	39188630	8727900391886	-	8727900391893	45
127998000KX2	Wedge base (T10)	XV LED 8 000 K	12	1	W2,1x9,5d	39248730	8727900392487	-	8727900392517	45
12956X2	CANbus control unit	-	12	5	-	38345430	8727900383454	-	8727900383461	46
249446000KX1	Festoon T10,5x38	XV LED 6 000 K	24	1	SV8,5	38339330	8727900383393	-	8727900383409	46
249466000KX1	Festoon T10,5x43	XV LED 6 000 K	24	1	SV8,5	38418530	8727900384185	-	8727900384192	46

### LED Daytime Running Light solutions

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN2	EAN3	Page
12825WLEDX1	DRL	LED DayLightGuide	7.7	6.8	Click 2	38638733	8727900386387	-	8727900386394	51
12831WLEDX1	DRL	LED DayLight 9	7.9	6	Click 2	39170145	8727900391701	-	8727900391718	51

### 24V Bus and Truck lighting

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN2	EAN3	Page
13258MLC1	H1	MasterLife	24	70	P14,5s	82569830	8711500825698	8711500828071	8711500825704	58
13258MDB1	H1	MasterDuty	24	70	P14,5s	82585830	8711500825858	-	8711500825865	58
13258MDC1	H1	MasterDuty	24	70	P14,5s	82577360	8711500825773	8711500828507	8711500825780	58
13336MLC1	H3	MasterLife	24	70	PK22s	77462030	8711500774620	8711500775337	8711500774651	58
13336MDBVS2	H3	MasterDuty BlueVision	24	70	PK22s	77486628	8711500774866	-	8711500774897	58
13336MDBVB1	H3	MasterDuty BlueVision	24	70	PK22s	77488030	8711500774880	-	8711500774910	58
13336MDB1	H3	MasterDuty	24	70	PK22s	77459030	8711500774590	-	8711500774613	58
13336MDC1	H3	MasterDuty	24	70	PK22s	77460660	8711500774606	8711500775313	8711500774637	58
13342MLC1	H4	MasterLife	24	75/70	P43t-38	82571130	8711500825711	8711500828118	8711500825728	58
13342MDBVS2	H4	MasterDuty BlueVision	24	75/70	P43t	53275328	8727900532753	-	8727900532760	58
13342MDBVB1	H4	MasterDuty BlueVision	24	75/70	P43t	53281430	8727900532814	-	8727900532821	58
13342MDB1	H4	MasterDuty	24	75/70	P43t-38	82587230	8711500825872	-	8711500825889	58
13342MDC1	H4	MasterDuty	24	75/70	P43t-38	82579760	8711500825797	8711500828002	8711500825803	58
13972MLC1	H7	MasterLife	24	70	PX26d	82573530	8711500825735	8711500828224	8711500825742	58
13972MDBVS2	H7	MasterDuty BlueVision	24	70	PX26d	53277728	8727900532777	-	8727900532784	59

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN2	EAN3	Page
13972MDBVB1	H7	MasterDuty BlueVision	24	70	PX26d	53279130	8727900532791	-	8727900532807	59
13972MDB1	H7	MasterDuty	24	70	PX26d	82589630	8711500825896	-	8711500825902	59

## 24V Bus and Truck lighting

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN2	EAN3	Page
55559LKMDKM	MaxiKit H4	MasterDuty	24	-	-	69684494	8727900696844	-	8727900696851	64
55560LKMDKM	MaxiKit H7	MasterDuty	24	-	-	69686894	8727900696868	-	8727900696875	64
55561LKMDKM	MaxiKit H1/H7	MasterDuty	24	-	-	69688294	8727900696882	-	8727900696899	64

## Two-wheeler lighting

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN2	EAN3	Page
12342PRBW	H4	Vision Moto	12	60/55	P43t-38	49024730	8711500490247	-	8711500490254	70
12342CTVBW	H4	CityVision Moto	12	60/55	P43t-38	39896030	8727900398960	-	8727900398977	70
12342XVBW	H4	X-tremeVision Moto	12	60/55	P43t-38	36229930	8727900362299	-	8727900362305	70
12342BVUBW	H4	BlueVision Moto	12	60/55	P43t-38	36231230	8727900362312	-	8727900362329	70
12972PRBW	H7	Vision Moto	12	55	PX26d	49026130	8711500490261	-	8711500490278	70
12972CTVBW	H7	CityVision Moto	12	55	PX26d	39898430	8727900398984	-	8727900398991	70
12972XVBW	H7	X-tremeVision Moto	12	55	PX26d	35151430	8727900351514	-	8727900351521	70
12972BVUBW	H7	BlueVision Moto	12	55	PX26d	35153830	8727900351538	-	8727900351545	70
12636BW	HS1	Vision Moto	12	35/35	PX43t	53035330	8727900530353	-	8727900530360	70
12636CTVBW	HS1	CityVision Moto	12	35/35	PX43t	39894630	8727900398946	-	8727900398953	71
12728BW	S2	Standard	12	35/35	BA20d	77385230	8711500773852	-	8711500773869	71
12008BW	S3	Standard	12	15	P26s	77381430	8711500773814	-	8711500773845	71
12008C1	S3	Standard	12	15	P26s	77394460	8711500773944	8711500773968	8711500773951	71
12256B2	W3W	Standard	12	3	W2,1x9,5d	52410830	8711559524108	-	8711559524122	71
12256CP	W3W	Standard	12	3	W2,1x9,5d	48144373	8711500481443	8711500481450	8711500481467	71
12498B2	P21W	Standard	12	21	BA15s	5549130	8711500055491	-	8711559520131	71
12498CP	P21W	Standard	12	21	BA15s	49078073	8711500490780	8711500490797	8711500490803	71
12499EDBW	P21/5W	ExtraDuty	12	21/5	BAY15d	87900430	8711500879004	-	8711500879035	71

## Headlight restoration kit

Ordering number		GOC	EAN1	EAN2	EAN3	Page
HRKOOXM		39170145	8727900399769	-	8727900399776	73

## Professional workshop lamps

Ordering number	Type	V	W	Plug	GOC	EAN1	EAN2	EAN3	Page
LPL18B1	Penlight	4.5	1.6	-	38821340	8727900388213	-	8727900388220	86
LPL19B1	Penlight Professional	4.5	1.6	-	38819031	8727900388190	-	8727900388206	86
LPL25RECHX1	Penlight Premium 100 year gold edition	100-240	6	EU	39206733	8727900392067	-	8727900392074	86
LPL28RECHX1	Penlight Premium	100-240	6	EU	39220394	8727900392203	-	8727900392210	86
DLP225T/10	Powerful universal USB car charger 2A	5	10.5	-	-	87125816396	8712581639611	8712581639614	86
LPL20X1	RCH10 Cordless professional lighting tool	100-240	2.5	EU	39060531	8727900390605	-	8727900390612	86
LPL21X1	RCH10 Cordless professional lighting tool	100-240	2.5	UK	39172531	8727900391725	-	8727900391732	86
LPL12X1	RCH20 Cordless professional lighting tool with docking station	110-240	2.4	EU	38946331	8727900389463	-	8727900389470	86
LPL13X1	RCH20 Cordless professional lighting tool with docking station	110-240	2.4	UK	38948731	8727900389463	-	8727900389470	86
LPL10UVX1	RCH30 Cordless professional lighting tool with UV-A leak detector	110-240	2.5	EU	38942531	8727900389425	-	8727900389432	86
LPL11UVX1	RCH30 Cordless professional lighting tool with UV-A leak detector	110-240	2.5	UK	38944931	8727900389449	-	8727900389456	86
LPL16X1	CBL20 Professional lighting tool	110-240	5	EU	38954831	8727900389548	-	8727900389555	87
LPL14X1	CBL30 Professional lighting tool with focus light	24/100-240	5	EU	38950031	8727900389500	-	8727900389517	87
LPL15X1	CBL30 Professional lighting tool with focus light	24/100-240	5	CH	38952431	8727900389524	-	8727900389531	87
LPL22X1	CBL40 Professional multi-purpose lamp	24/100-240	5	EU	39062931	8727900390629	-	8727900390636	87
LPL24X1	CBL50 Professional bonnet lamp	24/100-240	15	EU	39066731	8727900390667	-	8727900390674	87
LPL263MODX1	MDLS Multidirectional lighting system	100-240	3.2	EU/UK	39210466	8727900392104	-	8727900392111	87
LPL27SPAREX1	MDLS-spare module	100-240	3.2	-	39212833	8727900392128	-	8727900392135	87

