



RDW

Vehicle Technology Division

THE NETHERLANDS
(N E D E R L A N D)



COMMUNICATION

Concerning:


- approval granted
- ~~- approval extended~~
- ~~- approval refused~~
- ~~- approval withdrawn~~
- ~~- production definitely discontinued~~

of a type of rear fog lamp for power-driven vehicles and their trailers pursuant to Regulation number 38.

Approval number: E4-38R-00 11391

Extension number: 00

Approval mark:



11391

- | | | |
|----|--|---|
| 1. | Trade name or mark of the device | : HELLA |
| 2. | Manufacturer's name for the type of device | : 2NE 959 011 |
| 3. | Manufacturer's name and address | : Hella KGaA Hueck & Co.
Rixbecker Str. 75
59552 Lippstadt
Germany |
| 4. | If applicable, name and address of the manufacturer's representative | : -- |
| 5. | Submitted for approval on | : 21 January 2008 |
| 6. | Technical service responsible for conducting approval tests | : KEMA Quality B.V. |
| 7. | Date of report issued by that service | : 24 January 2008 |



P.O. Box 777
2700 AT Zoetermeer
The Netherlands


Tel. + 31 (0)79 345 81 43
Fax + 31 (0)79 345 80 43
www.rdw.nl



Vehicle Approval and Information

Approval number: E4-38R-00 11391



Extension number: 00

8. Number of reports issued by that service : 2113552-QUA/PHO 08-023
9. Concise description: :
- Number and category(ies) of filament lamp(s) : 24 on-replaceable lightsources (LED's) with a rated voltage range from 12V and 24 V and a rated wattage of 3W
- Light source module : yes/no
- Light source module specific identification code : --
- Geometrical conditions of installation and relating variations, if any : --
10. Position of the approval mark : See annexed drawing
11. Reason(s) for extension (if applicable) : --
12. Approval : granted/extended/refused/withdrawn
13. Place : Zoetermeer
14. Date : 04 - FEB - 2008
15. Signature :
16. The list of documents deposited with the Administrative Service which has granted approval is annexed to this communication and may be obtained on request.
- 1 Drawing No. 2NE 959 011 dated 17/01/2008 (annexed)
 - 1 Drawing No. 959 016-06 VOO Pebble 24 LED OSRAM dated 18/01/2008 (annexed)
 - 1 Drawing with the outlines of the illuminating surface No. 2NE 959 011 Annex 1 dated 17/01/2008 (annexed)
 - Test report as mentioned in item 8



 HELLA New Zealand	Typbezeichnung: 2NE 959 011 Type:	
Gehört zur G. Nr.: E4 11391 Belongs to approval no:		Einbauanweisung Nr.: Mounting instructions no:
<p>Rückfahrcheinwerfer Reversing Lamp for vehicles</p> <p>Lichtquelle: 24 nicht austauschbare LEDs Light source: 24 non replaceable light emitting diode</p> <p>Der Ausfall einer LED wird durch höhere Stromzufuhr kompensiert. The failure of one LED is compensated by upper current supply.</p> <p>⊠ - Bezugspunkt nach den ECE-Regelung 38. Centre of reference in accordance with the ECE-Regulation-No. 38.</p> <p>⊠ - Bezugspunkt zur Bestimmung der Grenzen der leuchtenden Fläche nach 76/756 EEC oder ECE Regelung Nr. 48. Markierung s. auf der Abschluss-Scheibe. Maße s. Anlage A. Centre of reference for the definition for illuminating surface in accordance with the Council Directive 76/756 EEC or ECE-Regulation-No. 48 (see Annex A).</p> <p>Bezugsachse: Parallel zur Fahrzeuglängsachse und parallel zur Fahrbahn. Axis of reference: Parallel to the car centre line and parallel to the road.</p>		
<p>Prüfspannung: 12 V oder 24 V Design voltage: 12 V or 24 V</p>	<p>Versorgungsspannung: 9 - 33 V Supply voltage: 9 - 33 V</p>	<p>Nennleistung: 3 W Nominal power: 3 W</p>
		
17/01/2008 The device must be surface-mounted or flush-fitted according to the enclosed surface-mounting or flush fitting documents (e.g. sketch)		



 Hella New Zealand	Type: 2NE 959 011	Anhang A Annex A		
<p> Gehört zur G. Nr.: E4 11391 Anbauanweisung Nr.: Belongs to approval no.: <i>Mounting instruction:</i> </p> <p> Bestimmung der Grenzen der leuchtenden Fläche einer Leuchte gemäß den Richtlinien des Rates der Europäischen Gemeinschaften "Anbau von Beleuchtungs- und Lichtsignalanlage" nach 76/756/EWG, bzw. ECE-Regelung Nr. 48, Absatz 2.9.2 </p> <p> <i>Definition of the illuminating surface of a device in accordance with the Council Directive 76/756/EEC or ECE-Regulation No. 48 clause 2.9.2.</i> </p> <div style="text-align: center;">  </div>				
Gerätebezeichnung Device / Fonction	Obere Grenze Upper Boundary (O) mm	Untere Grenze Lower Boundary (U) mm	Außere Grenze Outer Boundary (A) mm	Innere Grenze Inner Boundary (I) mm
Nebelschlussleuchte Rear Fog Lamp	31	31	31	31

17/01/2008

